



basta®

1Le



For use only as a herbicide for non-selective weed control in non-crop areas.

An aqueous solution containing 200 g/L (18.02% w/w) glufosinate-ammonium.

For Professional use only.

Authorisation Holder
Bayer CropScience Ltd
230 Cambridge Science Park,
Milton Road, Cambridge, CB4 0WB UK

Marketing Company
Bayer CropScience Limited,
Bayer Limited, The Atrium,
Blackthorn Road, Sandyford, Dublin 18
Telephone: 1 800 818534

For 24-hour emergency information contact Bayer CropScience Limited

Telephone: 1 800 409 399

SAFETY PRECAUTIONS Operator Protection

Harmful in contact with skin and if swallowed. Irritating to eyes. Wear suitable protective clothing and eye protection. Do not breathe spray. When using do not eat, drink or smoke. Avoid all contact by mouth. Wash hands and exposed skin after use. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

(Antidote: Phenobarbital-Sodium).

Environmental Protection

Do not contaminate water with the product or its container. (Do not clean application equipment near surface water/ Avoid contamination via drains from farmyards and roads).

Extreme care must be taken to avoid spray drift onto non-crop plants outside the target area.

Storage and Disposal

Keep locked up and out of reach of children.

Keep only in the original container in a cool, well ventilated place.

Keep away from food, drink and animal feedingstuffs.

This material and its container must be disposed of in a safe way.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely. Triple rinsed containers should be punctured to prevent re-use and may be disposed of by an authorised contractor or at a municipal waste recycling site

READ ALL INSTRUCTIONS CAREFULLY BEFORE USE

Safety Information

BASTA

Contains 200 g/L (18.02% w/w) glufosinate-ammonium



Danger

Harmful if swallowed

Harmful in contact with skin

Causes serious eye irritation

May damage fertility. Suspected of damaging the unborn child

May cause damage to organs (nervous system) through prolonged or repeated exposure if swallowed

Obtain special instruction before use

Wear protective gloves/protective clothing/eye protection/face protection

IF exposed or concerned: Call a POISON CENTER or doctor/physician

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. 90216

IE80551177e rA5e

PROTECT FROM FROST

DIRECTIONS FOR USE

BASTA MUST ONLY BE APPLIED USING LOW DRIFT NOZZLES AND SPRAY SHIELDS.

Basta is a non-selective herbicide which controls a wide range of grass and broad-leaved weeds in non-crop areas such as on paths, roadways etc.

Mode of action

Basta acts mainly through contact, with some systemic action. The chemical is absorbed by the green leaf and stem of the plant. Symptoms of yellowing and wilting appear in 3-7 days after application. There is no root uptake and seeds which have not germinated will not be controlled.

RATE OF USE

Crop	Maximum individual dose	Maximum number of applications	Latest time of application	Specific weeds controlled
Non-crop areas	3.75 litres/ha	Repeat if required when further weed flush emerges or regrowth occurs. Application may only be made by spot or band application.	Apply when weeds are actively growing	Broad-leaved weeds and grasses

WEEDS CONTROLLED

Basta will control all weeds which have emerged at time of application. The maximum rate is 3.75 L/ha. Where there is a high population or where weeds are strong and woody a repeat application may be made. The roots or rhizomes of perennial weeds will not be killed at low dosage rates and regrowth can be expected.

CROP SPECIFIC INFORMATION

Application

Non-Crop Areas

Basta should be applied at 3.75 L/ha in 220-1,000 litres of water per hectare. Avoid any drift of spray mist. Application may only be made by spot or band application.

Conditions at Spraying

Basta works faster under warm conditions when the weeds are growing actively. There should be no rain for 6 hours after application.

Compatibility

Basta may be applied as a tank-mix with a range of products. Contact Bayer CropScience for compatibility information on specific tank-mixes. Full manufacturer's instructions must be followed for each tank-mix component.

© Basta is a Registered Trade Mark of Bayer.

© Bayer CropScience Limited 2015



To access the **Safety Data Sheet** for this product scan the code or use the link below:

www.bayercropscience.ie/sds/basta.pdf

or alternatively contact your supplier

bastaiesds

Bayer