

**REDIGO**Version 3 / GB  
102000006421

1/7

Revision Date: 11.10.2010

Print Date: 11.10.2010

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name REDIGO  
Product code (UVP) 06091563  
Usage Fungicide, seed treatment  
Company Bayer CropScience Limited  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
Great Britain

Telephone +44(0)1223 226500  
Telefax +44(0)1223 426240  
Responsible Department Email: ukinfo@bayercropscience.com

Emergency telephone nr. 0800-220876 (UK 24 hr)  
+44(0)1603-242424 (Overseas 24 hr)

**2. HAZARDS IDENTIFICATION****Risk advice to man and the environment**

May cause sensitization by skin contact.  
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Chemical nature**

Flowable concentrate for seed treatment (FS)  
Prothioconazole 100 g/l

**Hazardous components**

Chemical Name	CAS-No. / EC-No.	Symbol(s)	R-phrase(s)	Concentration [%]
Prothioconazole	178928-70-6	N	R51/53	8.70
Polyarylphenylether sulfate, ammonium salt	119432-41-6	Xi	R36, R52/53	> 1.00 - < 20.00
Glycerine	56-81-5 200-289-5			> 1.00

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

**4. FIRST AID MEASURES****Inhalation**

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center



## REDIGO

Version 3 / GB  
102000006421

2/7

Revision Date: 11.10.2010

Print Date: 11.10.2010

immediately.

### **Skin contact**

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.

### **Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

### **Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

### **Notes to physician**

#### **Treatment**

Treat symptomatically.  
Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

---

## 5. FIRE-FIGHTING MEASURES

### **Suitable extinguishing media**

Water spray  
Carbon dioxide (CO<sub>2</sub>)  
Foam  
Sand

### **Specific hazards during fire fighting**

In the event of fire the following may be released:  
Hydrogen chloride (HCl)  
Hydrogen cyanide (hydrocyanic acid)  
Carbon monoxide (CO)  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides

### **Special protective equipment for fire-fighters**

In the event of fire, wear self-contained breathing apparatus.

### **Further information**

Contain the spread of the fire-fighting media.  
Do not allow run-off from fire fighting to enter drains or water courses.

---

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions**

Avoid contact with spilled product or contaminated surfaces.  
Use personal protective equipment.

### **Environmental precautions**

Do not allow to get into surface water, drains and ground water.  
If spillage enters drains leading to sewage works inform local water company immediately.  
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**REDIGO**Version 3 / GB  
102000006421

3/7

Revision Date: 11.10.2010

Print Date: 11.10.2010

**Methods for cleaning up**

Clean contaminated floors and objects thoroughly, observing environmental regulations.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

**Additional advice**

Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

**7. HANDLING AND STORAGE****Handling**

## Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.  
Ensure adequate ventilation.

## Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

**Storage**

## Requirements for storage areas and containers

Store in original container.  
Store in a place accessible by authorized persons only.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep away from direct sunlight.

## Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Temperature tolerance	min.	max.
	-10 °C	40 °C

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

**Components with workplace control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m <sup>3</sup> (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m <sup>3</sup> (TWA)	2007	EH40 WEL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	No personal respiratory protective equipment normally required. Respiratory protection should only be used to control residual risk of
------------------------	---

**REDIGO**Version 3 / GB  
102000006421

4/7

Revision Date: 11.10.2010

Print Date: 11.10.2010

---

	short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).
Skin and body protection	Wear standard coverall and type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

Form	liquid, suspension
Colour	red
Odour	weak, characteristic

**Safety data**

Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Autoignition temperature	425 °C
Density	ca. 1.15 g/cm <sup>3</sup> at 20 °C
Water solubility	miscible
Explosivity	Not explosive

---

**10. STABILITY AND REACTIVITY**

Conditions to avoid	Extremes of temperature and direct sunlight.
Hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

**REDIGO**Version 3 / GB  
102000006421

5/7

Revision Date: 11.10.2010

Print Date: 11.10.2010

---

**11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity	LD50 (rat) > 2,500 mg/kg
Acute inhalation toxicity	LC50 (rat) > 2.735 mg/l Determined in the form of a respirable aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (rat) > 4,000 mg/kg
Skin irritation	No skin irritation (rabbit)
Eye irritation	No eye irritation (rabbit)
Sensitisation	Sensitising (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity effects**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient prothioconazole.
Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) 1.3 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient prothioconazole.
Toxicity to aquatic plants	EC50 (Selenastrum capricornutum) 2.18 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.

---

**13. DISPOSAL CONSIDERATIONS****Product**

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.  
Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

**REDIGO**Version 3 / GB  
102000006421

6/7

Revision Date: 11.10.2010

Print Date: 11.10.2010

**Contaminated packaging**

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely.

Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.

Return large containers to supplier.

Follow advice on product label and/or leaflet.

**Waste key for the unused product**

020108 agrochemical waste containing dangerous substances

**14. TRANSPORT INFORMATION**

According to national and international transport regulations not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**15. REGULATORY INFORMATION**

**This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.**

Labelling according to EC Directives

Hazardous components which must be listed on the label:

- Prothioconazole

Symbol(s)

Xi Irritant

R-phrases(s)

R43 May cause sensitization by skin contact.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S24 Avoid contact with skin.

S37 Wear suitable gloves.

**|| CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:**

**The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.**

Symbol(s)

||Xi Irritant

R-phrases(s)

||R43 May cause sensitization by skin contact.

||R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**REDIGO**Version 3 / GB  
102000006421

7/7

Revision Date: 11.10.2010

Print Date: 11.10.2010

## S-phrases(s)

S 2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feedingstuffs.
S24	Avoid contact with skin.
S35	This material and its container must be disposed of in a safe way.
S37	Wear suitable gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.
S57	Use appropriate container to avoid environmental contamination.

## Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

## Further information

WHO-classification: III (Slightly hazardous)

**16. OTHER INFORMATION****Further information**

Text of R-phrases mentioned in Section 3

R36	Irritating to eyes.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.