

**SILTRA XPRO**Version 1 / IRL
102000020385

1/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product information**

Trade name	SILTRA XPRO
Product code (UVP)	79626940
Usage	Fungicide
Company	Bayer CropScience Ltd Bayer Ltd The Atrium, Blackthorn Road Sandyford Dublin 18 Ireland
Telephone	+353-1-2999313
Responsible Department	Email: ukinfo@bayercropscience.com
Emergency telephone nr.	1800-409-399

2. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Irritating to eyes.

May cause sensitization by skin contact.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Emulsifiable concentrate (EC)

Bixafen/Prothioconazole 60:200 g/l

Hazardous components

Chemical Name	CAS-No. / EC-No.	Symbol(s)	R-phrase(s)	Concentration [%]
Bixafen	581809-46-3	N	R50/53	5.90
Prothioconazole	178928-70-6	N	R51/53	19.60
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7		R52/53	> 1.00 - < 25.00
N,N-Dimethyldecan amide	14433-76-2 238-405-1	Xn	R21/22, R38, R41	> 25.00

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES



SILTRA XPRO

Version 1 / IRL
102000020385

2/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

Notes to physician

Treatment

Treat symptomatically.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which should not be used for safety reasons

High volume water jet

Specific hazards during fire fighting

In the event of fire the following may be released:

- Hydrogen chloride (HCl)
- Hydrogen cyanide (hydrocyanic acid)
- Hydrogen fluoride
- Carbon monoxide (CO)
- nitrogen oxides (NOx)
- Sulphur oxides

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
In the event of fire, wear self-contained breathing apparatus.

Further information

Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

**SILTRA XPRO**Version 1 / IRL
102000020385

3/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

Personal precautions

Avoid contact with spilled product or contaminated surfaces.
Use personal protective equipment.

Environmental precautions

Do not allow to get into surface water, drains and ground water.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean contaminated floors and objects thoroughly, observing environmental regulations.
Keep in suitable, closed containers for disposal.

Additional advice

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE**Handling**

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.
Ensure adequate ventilation.

Storage

Requirements for storage areas and containers

Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in a place accessible by authorized persons only.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Temperature tolerance	min.	max.
	-5 °C	40 °C

Suitable materials

Coex EVOH (1000L IBC)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**SILTRA XPRO**Version 1 / IRL
102000020385

4/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

Respiratory protection	Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).
Skin and body protection	Wear standard coverall and type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form	clear to slightly turbid, liquid
Colour	brown
Odour	characteristic

Safety data

pH	3.0 - 5.0 at 1 % (23 °C)
Flash point	> 60 °C Test conducted with a similar formulation.
Density	ca. 1.02 g/cm ³ at 20 °C
Water solubility	emulsifiable

10. STABILITY AND REACTIVITY

Conditions to avoid	Extremes of temperature and direct sunlight.
---------------------	--

**SILTRA XPRO**Version 1 / IRL
102000020385

5/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

Hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.
---------------------	--

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	LD50 (rat) > 2,000 mg/kg Information given is based on data on the components and the toxicology of similar products.
Acute inhalation toxicity	LC50 (rat) > 5.383 mg/l Exposure time: 4 h Highest attainable concentration. The value mentioned relates to the active ingredient bixafen.
Acute inhalation toxicity	LC50 (rat) > 4.990 mg/l Exposure time: 4 h The value mentioned relates to the active ingredient prothioconazole.
Acute dermal toxicity	LD50 (rat) > 2,000 mg/kg Information given is based on data on the components and the toxicology of similar products.
Skin irritation	No skin irritation (rabbit) Information given is based on data on the components and the toxicology of similar products.
Eye irritation	Irritating to eyes. (rabbit) Information given is based on data on the components and the toxicology of similar products.
Sensitisation	Sensitising (mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 1.55 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Water flea (<i>Daphnia magna</i>)) 3.0 mg/l Exposure time: 48 h
Toxicity to aquatic plants	IC50 (<i>Pseudokirchneriella subcapitata</i>) 1.52 mg/l Growth rate; Exposure time: 72 h

Further information on ecology

Additional ecological information
The ecological data refer to a similar formulation.

**SILTRA XPRO**Version 1 / IRL
102000020385

6/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

13. DISPOSAL CONSIDERATIONS**Product**

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Follow advice on product label and/or leaflet.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

UN-Number	3082
Labels	9
Packaging group	III
Hazard no.	90
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways.
Please refer to the manufacturer for further information.

IMDG

UN-Number	3082
Labels	9
Packaging group	III
EmS	F-A , S-F
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)

IATA

UN-Number	3082
Labels	9
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION)

15. REGULATORY INFORMATION

**SILTRA XPRO**Version 1 / IRL
102000020385

7/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

Labelling in accordance with the EC Directive on dangerous preparations 1999/45/EC as amended.

Classified as hazardous for supply/use.

Hazardous components which must be listed on the label:

- Bixafen
- Prothioconazole
- N,N-Dimethyldecan amide

Symbol(s)

Xi	Irritant
N	Dangerous for the environment

R-phrases(s)

R36	Irritating to eyes.
R43	May cause sensitization by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S24	Avoid contact with skin.
S35	This material and its container must be disposed of in a safe way.
S37	Wear suitable gloves.
S57	Use appropriate container to avoid environmental contamination.

The labelling information below is that which has been approved under 'The European Communities (Authorisation, placing on the market, use and control of Plant Protection products) Regulations 2003' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

Classified as hazardous for supply/use.

Symbol(s)

Xi	Irritant
N	Dangerous for the environment

R-phrases(s)

R36	Irritating to eyes.
R43	May cause sensitization by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S 2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feedingstuffs.
S24	Avoid contact with skin.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S35	This material and its container must be disposed of in a safe way.
S36	Wear suitable protective clothing.
S37/39	Wear suitable gloves and eye/face protection.
S57	Use appropriate container to avoid environmental contamination.
IE only	Do not contaminate surface waters or ditches with chemical or used container.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.



SILTRA XPRO

Version 1 / IRL
102000020385

8/8

Revision Date: 11.01.2011

Print Date: 11.01.2011

Further information
WHO-classification: III (Slightly hazardous)

16. OTHER INFORMATION

Further information

Text of R-phrases mentioned in Section 3

R21/22	Harmful in contact with skin and if swallowed.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The information given in this Data Sheet has been included in accordance with the guidelines established by Regulation (EC) 1907/2006. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.