



## DECIS PROTECH

Version 2 / IRL  
102000025993

1/12  
Revision Date: 23.07.2018  
Print Date: 06.08.2018

---

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name                                    DECIS PROTECH  
Product code (UVP)                        80269285

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use    Insecticide

#### 1.3 Details of the supplier of the safety data sheet

Supplier                                        Bayer CropScience Ltd  
    Bayer Ltd  
    The Atrium, Blackthorn Road  
    Sandyford  
    Dublin 18  
    Ireland

Telephone                                      +353-1-2999313

Responsible Department                  Email: [ukinfo@bayercropscience.com](mailto:ukinfo@bayercropscience.com)

#### 1.4 Emergency telephone no.

Emergency telephone no.                00800 1020 3333 (24 hr)

---

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Flammable liquids: Category 3  
H226    Flammable liquid and vapour.

Acute aquatic toxicity: Category 1  
H400    Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410    Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Deltamethrin

**DECIS PROTECH**Version 2 / IRL  
1020000259932/12  
Revision Date: 23.07.2018  
Print Date: 06.08.2018**Signal word:** Warning**Hazard statements**

H226 Flammable liquid and vapour.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH208 Contains 1,2-benzisothiazolin-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1), alpha-hexylcinnamaldehyde, benzylsalicylate. May produce an allergic reaction.  
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P240 Ground/bond container and receiving equipment.  
 P280 Wear protective gloves/ protective clothing/ eye protection.  
 P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Emulsion, oil in water (EW)  
 Deltamethrin 15 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Deltamethrin	52918-63-5 258-256-6	Aquatic Chronic 1, H410 Aquatic Acute 1, H400 Acute Tox. 3, H301 Acute Tox. 3, H331	1.47
Benzyl benzoate	120-51-4 204-402-9 01-2119976371-33-xxxx	Acute Tox. 4, H302 Aquatic Chronic 2, H411	> 2.50 – < 25.00
Cyclohexanone	108-94-1 203-631-1 01-2119453616-35-XXXX	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Flam. Liq. 3, H226	> 1.00 – < 25.00



## DECIS PROTECH

Version 2 / IRL  
102000025993

3/12

Revision Date: 23.07.2018

Print Date: 06.08.2018

Fatty alcohol ethoxylate	78330-21-9	Eye Dam. 1, H318 Aquatic Chronic 3, H412	> 1 – < 3
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Eye Dam. 1, H318	> 0.005 – < 0.05
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.0001 – < 0.0015
Benzyl salicylate	118-58-1 204-262-9	Skin Sens. 1, H317 Aquatic Chronic 2, H411	> 0.10 – < 2.50
.alpha.-Hexylcinnamaldehyde	101-86-0 202-983-3	Skin Sens. 1, H317 Aquatic Chronic 2, H411	>= 0.1 – < 0.25
1,2-Propanediol	57-55-6 200-338-0 01-2119456809-23-xxxx	Not classified	> 1.00

## Further information

Deltamethrin	52918-63-5	M-Factor: 1,000,000 (acute), 1,000,000 (chronic)
.alpha.-Hexylcinnamaldehyde	101-86-0	M-Factor: 1 (acute)

Substances for which there are Community workplace exposure limits:  
Cyclohexanone (108-94-1)

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures

## General advice

Remove contaminated clothing immediately and dispose of safely. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

## Skin contact

Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.



## **DECIS PROTECH**

Version 2 / IRL  
102000025993

4/12

Revision Date: 23.07.2018  
Print Date: 06.08.2018

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

### **4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing  Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness
-----------------	---

### **4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
<b>Treatment</b>	Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.  In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

---

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet



## **DECIS PROTECH**

Version 2 / IRL  
102000025993

5/12

Revision Date: 23.07.2018  
Print Date: 06.08.2018

---

<b>5.2 Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

---

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

<b>Precautions</b>	Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.
--------------------	--

<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities. Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.
--------------------------------------	--

### **6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.
<b>Additional advice</b>	Check also for any local site procedures.

<b>6.4 Reference to other sections</b>	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

---

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation.
<b>Advice on protection against fire and explosion</b>	Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment.
<b>Hygiene measures</b>	When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands

**DECIS PROTECH**Version 2 / IRL  
102000025993

6/12

Revision Date: 23.07.2018  
Print Date: 06.08.2018

thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** Combination of sheet metal and HDPE (high density polyethylene)

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m <sup>3</sup> (TWA)		OES BCS*
Cyclohexanone	108-94-1	40.8 mg/m <sup>3</sup> /10 ppm (TWA)	2011	ELV (IE)
Cyclohexanone	108-94-1	81.6 mg/m <sup>3</sup> /20 ppm (STEL)	2011	ELV (IE)
Cyclohexanone	108-94-1	40.8 mg/m <sup>3</sup> /10 ppm (TWA)	12 2009	EU ELV
Cyclohexanone	108-94-1	81.6 mg/m <sup>3</sup> /20 ppm (STEL)	12 2009	EU ELV
Cyclohexanone	108-94-1	40.8 mg/m <sup>3</sup> /10 ppm (TWA)	2014	EU SCOELS
Cyclohexanone	108-94-1	81.6 mg/m <sup>3</sup> /20 ppm (STEL)	2014	EU SCOELS
1,2-Propanediol (Total vapour and particulates.)	57-55-6	470 mg/m <sup>3</sup> /150 ppm (TWA)	2011	ELV (IE)
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m <sup>3</sup> (TWA)	2011	ELV (IE)

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or

**DECIS PROTECH**Version 2 / IRL  
102000025993

7/12

Revision Date: 23.07.2018

Print Date: 06.08.2018

local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid
<b>Colour</b>	white
<b>Odour</b>	weak, characteristic
<b>pH</b>	2.0 - 4.0 at 100 % (23 °C)
<b>Flash point</b>	56.5 °C
<b>Auto-ignition temperature</b>	435 °C
<b>Density</b>	ca. 1.02 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Deltamethrin: log Pow: 6.4 at 25 °C
<b>Viscosity, dynamic</b>	50 - 120 mPa.s at 20 °C Velocity gradient 20 /s 50 - 100 mPa.s at 20 °C Velocity gradient 100 /s
<b>Oxidizing properties</b>	No oxidizing properties



## DECIS PROTECH

Version 2 / IRL  
102000025993

8/12

Revision Date: 23.07.2018  
Print Date: 06.08.2018

<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 2,000 mg/kg  
Test conducted with a similar formulation.

**Acute inhalation toxicity** ATE (Mix) > 5.0 mg/l

**Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kg  
Test conducted with a similar formulation.

**Skin corrosion/irritation** Slight irritant effect - does not require labelling. (Rabbit)  
Test conducted with a similar formulation.

**Serious eye damage/eye irritation** Slight irritant effect - does not require labelling. (Rabbit)  
Test conducted with a similar formulation.

**Respiratory or skin sensitisation** Non-sensitizing. (Guinea pig)  
OECD Test Guideline 406, Buehler test  
Test conducted with a similar formulation.  
Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)  
Test conducted with a similar formulation.

#### Assessment STOT Specific target organ toxicity – single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.



**DECIS PROTECH**Version 2 / IRL  
102000025993

9/12

Revision Date: 23.07.2018  
Print Date: 06.08.2018**Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.014 mg/l  
Exposure time: 96 h  
Test conducted with a similar formulation.

**Toxicity to aquatic invertebrates** EC50 (Daphnia magna (Water flea)) 0.0007 mg/l  
Exposure time: 48 h

**Toxicity to aquatic plants** EC50 (Algae) 5.35 mg/l  
Growth rate; Exposure time: 72 h  
Test conducted with a similar formulation.

**12.2 Persistence and degradability**

**Biodegradability** Deltamethrin:  
Not rapidly biodegradable

**Koc** Deltamethrin: Koc: 10240000

**12.3 Bioaccumulative potential**

**Bioaccumulation** Deltamethrin: Bioconcentration factor (BCF) 1,400  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Deltamethrin: Immobile in soil

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**



**DECIS PROTECH**

Version 2 / IRL  
102000025993

10/12

Revision Date: 23.07.2018  
Print Date: 06.08.2018

**Additional ecological information** No further ecological information is available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

**Contaminated packaging** Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Follow advice on product label and/or leaflet.

**Waste key for the unused product** **02 01 08\*** agrochemical waste containing hazardous substances

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

14.1 UN number **1993**  
14.2 Proper shipping name **FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION)**  
14.3 Transport hazard class(es) **3**  
14.4 Packaging Group **III**  
14.5 Environm. Hazardous Mark **YES**  
Hazard no. **30**  
Tunnel Code **D/E**

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number **1993**  
14.2 Proper shipping name **FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION)**  
14.3 Transport hazard class(es) **3**  
14.4 Packaging Group **III**  
14.5 Marine pollutant **YES**

**IATA**

14.1 UN number **1993**  
14.2 Proper shipping name **FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION )**  
14.3 Transport hazard class(es) **3**  
14.4 Packaging Group **III**  
14.5 Environm. Hazardous Mark **NO**



## DECIS PROTECH

Version 2 / IRL  
102000025993

11/12  
Revision Date: 23.07.2018  
Print Date: 06.08.2018

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)  
European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)  
European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)  
2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

#### Waste Treatment

Landfill Directive  
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

#### Further information

WHO-classification: III (Slightly hazardous)

### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

---

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.

**DECIS PROTECH**Version 2 / IRL  
10200002599312/12  
Revision Date: 23.07.2018  
Print Date: 06.08.2018

H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

**Reason for Revision:** New Safety Data Sheet. Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.