



**ZEPHYR**

Version 5 / IRL  
102000011988

1/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

---

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** ZEPHYR  
**Product code (UVP)** 06461921, 85361503

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer CropScience Ltd  
Bayer Ltd  
The Atrium, Blackthorn Road  
Sandyford  
Dublin 18  
Ireland

**Telephone** +353-1-2999313

**Responsible Department** Email: [ukinfo@bayercropscience.com](mailto:ukinfo@bayercropscience.com)

**1.4 Emergency telephone no.**

**Emergency telephone no.** 00800 1020 3333 (24 hr)

---

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

**2.2 Label elements**

**|| Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

**|| Hazard label for supply/use required.**

**Hazardous components which must be listed on the label:**

- Trifloxystrobin
- Prothioconazole

**ZEPHYR**Version 5 / IRL  
102000011988

2/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018**Signal word:** Warning**Hazard statements**

H317 May cause an allergic skin reaction.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards****No other hazards known.****SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)  
 Prothioconazole/Trifloxystrobin 175:88 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	16.3
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	8.2
Fatty alcohol polyglycol ether	61791-13-7	Acute Tox. 4, H302 Eye Dam. 1, H318	> 1 – < 25
1,2-Propanediol	57-55-6 200-338-0 01-2119456809-23-xxxx	Not classified	> 1

**Further information**

Prothioconazole	178928-70-6	M-Factor: 10 (acute)
		M-Factor: 10 (chronic)
Trifloxystrobin	141517-21-7	M-Factor: 100 (acute)



**ZEPHYR**

Version 5 / IRL  
102000011988

3/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** No symptoms known or expected.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment** Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>), Hydrogen fluoride

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

**ZEPHYR**Version 5 / IRL  
102000011988

4/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** HDPE (high density polyethylene)

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m <sup>3</sup>		OES BCS*

**ZEPHYR**Version 5 / IRL  
102000011988

5/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

		(SK-ABS)		
Trifloxystrobin	141517-21-7	2.7 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
1,2-Propanediol (Total vapour and particulates.)	57-55-6	470 mg/m <sup>3</sup> /150 ppm (TWA)	2011	ELV (IE)
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m <sup>3</sup> (TWA)	2011	ELV (IE)

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.  
Material Nitrile rubber  
Rate of permeability > 480 min  
Glove thickness > 0.4 mm  
Protective index Class 6  
Directive Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

**ZEPHYR**Version 5 / IRL  
102000011988

6/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

---

<b>Form</b>	suspension
<b>Colour</b>	white
<b>Odour</b>	weak, characteristic
<b>pH</b>	5.5 - 7.0 at 100 % (23 °C)
<b>Flash point</b>	No flash point - Determination conducted up to the boiling point.
<b>Ignition temperature</b>	415 °C
<b>Density</b>	ca. 1.08 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Trifloxystrobin: log Pow: 4.5 at 25 °C Prothioconazole: log Pow: 3.82 at 20 °C at pH 7
<b>Viscosity, dynamic</b>	200 - 320 mPa.s at 20 °C Velocity gradient 20 /s 100 - 150 mPa.s at 20 °C Velocity gradient 100 /s
<b>Impact sensitivity</b>	Not impact sensitive.
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (Rat)  $\geq$  5,000 mg/kg  
Test conducted with a similar formulation.**Acute inhalation toxicity** LC50 (Rat)  $>$  2.189 mg/l  
Exposure time: 4 h  
Highest attainable concentration.



**ZEPHYR**

Version 5 / IRL  
102000011988

7/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

	Test conducted with a similar formulation.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 4,000 mg/kg Test conducted with a similar formulation.
<b>Skin irritation</b>	No skin irritation (Rabbit) Test conducted with a similar formulation.
<b>Eye irritation</b>	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
<b>Sensitisation</b>	Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Test conducted with a similar formulation.

**Assessment STOT Specific target organ toxicity – single exposure**

Prothioconazole: Based on available data, the classification criteria are not met.  
Trifloxystrobin: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.  
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.  
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.  
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.  
Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

**Assessment developmental toxicity**

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.  
Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

---

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.125 mg/l  
Exposure time: 96 h



**ZEPHYR**

Version 5 / IRL  
102000011988

8/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

**Toxicity to aquatic invertebrates** Test conducted with a similar formulation.  
EC50 (Daphnia magna (Water flea)) 0.126 mg/l  
Exposure time: 48 h  
Test conducted with a similar formulation.

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.68 mg/l  
Growth rate; Exposure time: 72 h  
Test conducted with a similar formulation.

EC50 (Skeletonema costatum) 0.046 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient prothioconazole.

**12.2 Persistence and degradability**

**Biodegradability** Trifloxystrobin:  
Not rapidly biodegradable  
Prothioconazole:  
Not rapidly biodegradable

**Koc** Trifloxystrobin: Koc: 2377  
Prothioconazole: Koc: 1765

**12.3 Bioaccumulative potential**

**Bioaccumulation** Trifloxystrobin: Bioconcentration factor (BCF) 431  
Does not bioaccumulate.  
Prothioconazole: Bioconcentration factor (BCF) 19  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Trifloxystrobin: Slightly mobile in soils  
Prothioconazole: Slightly mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.



**ZEPHYR**Version 5 / IRL  
102000011988

9/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

---

<b>Contaminated packaging</b>	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.
<b>Waste key for the unused product</b>	<b>02 01 08*</b> agrochemical waste containing hazardous substances

---

**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---



**ZEPHYR**

Version 5 / IRL  
102000011988

10/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Republic of Ireland Regulations**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

**Supply and Use**

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

**Waste Treatment**

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

**Further information**

WHO-classification: III (Slightly hazardous)

**15.2 Chemical safety assessment**

A chemical safety assessment is not required.

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

Conc.	Concentration
LOEC/LOEL	Lowest observed effect concentration/level
UN	United Nations
OECD	Organization for Economic Co-operation and Development
EN	European Standard
ELV	Exposure Limit Value
N.O.S.	Not otherwise specified
SI	Statutory Instrument
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
EU	European Union
ELINCS	European list of notified chemical substances



**ZEPHYR**

Version 5 / IRL  
102000011988

11/11

Revision Date: 24.05.2018  
Print Date: 06.06.2018

EINECS	European inventory of existing commercial substances
EC-No.	European community number
NOEC/NOEL	No observed effect concentration/level
LDx	Lethal dose to x %
LCx	Lethal concentration to x %
ICx	Inhibition concentration to x %
ECx	Effective concentration to x %
CAS-Nr.	Chemical Abstracts Service number
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
WHO	World health organisation
ATE	Acute toxicity estimate
TWA	Time weighted average

**Reason for Revision:** Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.