



# Oxytril® CM

<b>CONTAINS</b>	An emulsifiable concentrate formulation containing 200 g/L (17.2% w/w) bromoxynil and 200 g/L (17.2% w/w) ioxynil as octanoate esters.
<b>CONTROLS</b>	For use only as an agricultural selective broad-leaved herbicide for use in wheat (not durum), barley, oats (spring application), rye, triticale and undersown cereals.

PCS 03117

## DIRECTIONS FOR USE

**IMPORTANT:** This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Oxytril CM is an emulsifiable concentrate recommended for use as a selective weedkiller for the control of a wide range of annual broadleaved weeds.

## RESTRICTIONS

**DO NOT** apply during long frosty periods.

**DO NOT** use on durum wheat.

**DO NOT** apply on winter oats in the Autumn.

**DO NOT** use on oats until the risk of frost is over.

**DO NOT** apply within seven days of rolling.

**DO NOT** apply at less than recommended water volumes.

**DO NOT** apply during wintry weather or during periods of drought, or when frost or heavy rain is imminent.

Avoid drift onto neighbouring crops.

Susceptible crops are beans, brassicas (including oilseed rape), carrots, legumes, lettuce, tomatoes and other horticultural crops.

## RATE OF USE

CROP	MAXIMUM INDIVIDUAL DOSE	MAXIMUM NUMBER OF APPLICATIONS	LATEST TIME OF APPLICATION
Wheat (not durum), barley, oats (spring application), rye and triticale	1.0 L/product/ha	1 per crop	Before second node detectable stage (GS 32)

## WEEDS CONTROLLED

### Oxytril CM:

The following weeds will be controlled post-emergence at all stages up to 2-3 true leaves. Weeds which emerge **AFTER** spraying has taken place will **NOT** be controlled.

Black-bindweed	Fat-hen	Redshank
Bugloss	Field forget-me-not	Scarlet pimpernel
Charlock	Knotgrass	Small nettle
Common fumitory	Mayweeds	Speedwells
Common poppy	Pale persicaria	Wild radish (runch)

Oxytril CM will not control cleavers, corn spurrey, any perennial broad-leaved weeds or any grasses (annual or perennial).

**NOTE:** Adequate crop competition in the period following treatment is essential for good weed control. **DO NOT** spray under drought conditions or when frost is expected.

## CROP SPECIFIC INFORMATION

Use before second node detectable stage (GS32).

**Autumn or Spring Application**

Autumn and spring-sown cereals - namely wheat (not durum), barley, rye and triticale.

**Spring Application Only**

Autumn and Spring-sown oats.

Treat in the spring when the risk of frost is over.

**Timing**

Autumn and spring-sown cereals - Spray from the two leaf stage of the crop (GS 12) but before second node detectable stage (GS 32). Treatment is safe to the crop throughout these stages, but the best results will occur when spraying is carried out when weeds are small and the competition is removed early.

**MIXING**

Half fill the spray tank with clean water.

Add the required amount of Oxytril CM. Top up with clean water. Ensure thorough mixing before and during spraying.

**DO NOT ALLOW TO STAND WITHOUT AGITATION.**

**Autumn and Spring sown cereals:** up to 1.0 L/ha

Use in 150-400 L/ha of water as a **MEDIUM** spray (BCPC category). The high rate should be used wherever the crop canopy or weed infestation is dense.

Oxytril CM has contact action only and therefore, good penetration and coverage of the weeds is essential. Application should be made at a pressure of not less than 2 bars and according to the sprayer manufacturer's instructions.

**COMPATIBILITY**

Oxytril CM may be applied as a tank-mix with a range of products. Contact Bayer CropScience for compatibility information on specific tank-mixes. Full manufacturer's instructions must be followed for each tank-mix component.

Yield of winter barley may not be optimum where Oxytril CM is applied in a tank-mix with mecoprop to low vigour crops on light soils or crops that are stressed and where sharp or severe frosts occur within 3-4 weeks of application.

## SAFETY PRECAUTIONS

### Operator Protection

**WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD)**, when handling the concentrate.

**WEAR SUITABLE PROTECTIVE GLOVES**, when handling the spray boom or adjusting nozzles.

**WASH CONCENTRATE** from skin or eyes immediately.

**AVOID ALL CONTACT BY MOUTH.**

**DO NOT BREATHE SPRAY.**

**WASH HANDS AND EXPOSED SKIN** before meals and after work.

**WHEN USING DO NOT EAT, DRINK OR SMOKE.**

**DO NOT APPLY** in less than recommended water volumes.

**IF YOU FEEL UNWELL**, seek medical advice (show the label where possible).

### Environmental Protection

**DO NOT CONTAMINATE SURFACE WATERS OR DITCHES** with chemical or used container.

Users must not allow direct spray from horizontal boom sprayers to fall within 5m of the top of the bank of any static or flowing waterbody or within 1m of a ditch which is dry at the time of application

Spray must be aimed away from water.

### Storage and Disposal

**KEEP IN ORIGINAL CONTAINER** tightly closed in a safe place.


**EMPTY CONTAINER COMPLETELY** and dispose of safely.

**DO NOT RE-USE CONTAINER** for any purpose.

**READ ALL INSTRUCTIONS CAREFULLY BEFORE USE.**

**RISK AND SAFETY INFORMATION****OXYTRIL CM**

Contains 200 g/L (17.2% w/w) bromoxynil and 200 g/L (17.2% w/w) ioxynil as octanoate esters.

**HARMFUL****DANGEROUS  
FOR THE  
ENVIRONMENT****HARMFUL IF SWALLOWED.****IRRITATING TO EYES AND SKIN.****MAY CAUSE SENSITISATION BY SKIN CONTACT.****VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.****POSSIBLE RISK OF HARM TO THE UNBORN CHILD.****HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.****VAPOURS MAY CAUSE DROWSINESS AND DIZZINESS.**

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

Wear suitable protective clothing and gloves.

In case of insufficient ventilation wear suitable protective equipment.

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

Use appropriate containment to avoid environmental contamination.

This material and its container must be disposed of in a safe way.

To avoid risks to man and the environment, comply with the instructions for use.

**PACK SIZE**

5 L

