



ALISTER FLEX

Version 4 / IRL
102000025252

1/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name ALISTER FLEX
UFI E2V0-M063-300W-6EMQ
Product code (UVP) 80213522

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
A94 H2K7 Co. Dublin
Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to the UK)

For Medical Professionals and Members of the Public:
You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Eye irritation: Category 2
H319 Causes serious eye irritation.

Skin irritation: Category 2
H315 Causes skin irritation.

Short-term (acute) aquatic hazard: Category 1



ALISTER FLEX

Version 4 / IRL
102000025252

2/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Diflufenican
- Mesosulfuron-methyl, sodium salt
- Iodosulfuron-methyl-sodium
- Mefenpyr-diethyl



Signal word: Warning

Hazard statements

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains fatty alcohol ethoxylate alkyl ether. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



ALISTER FLEX

Version 4 / IRL
102000025252

3/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Oil dispersion (OD)

Diflufenican/Iodosulfuron-methyl-sodium/Mesosulfuron-methyl/Mefenpyr-diethyl 120:7,5:9,4:27 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Diflufenican	83164-33-4 617-446-2	Aquatic Chronic 1, H410 Aquatic Acute 1, H400	11.88
Mesosulfuron-methyl, sodium salt	208465-19-4 606-652-8 01-2121007338-60-0000	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.93
Iodosulfuron-methyl- sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.75
Mefenpyr-diethyl	135590-91-9 603-923-2 01-2119480146-39-0000	Aquatic Chronic 2, H411	2.67
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35-XXXX	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 STOT SE 3, H336 Carc. 1B, H350 Aquatic Chronic 2, H411	> 1.00 – < 20.00
White mineral oil	8042-47-5 232-455-8 01-2119487078-27-XXXX	Asp. Tox. 1, H304	> 25.00
Calcium diformate	544-17-2 208-863-7 01-2119486476-24-XXXX	Eye Dam. 1, H318	> 1.00 – < 5.00
Docusate sodium	577-11-7 209-406-4 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 1.00 – < 20.00
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	> 1.00 – < 25.00
1,2,4-trimethylbenzene	95-63-6 202-436-9	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332 Skin Irrit. 2, H315	> 0.1 – < 5.00



ALISTER FLEX

Version 4 / IRL
102000025252

4/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

		Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411	
--	--	--	--

Further information

Diflufenican	83164-33-4	M-Factor: 10,000 (acute), 1,000 (chronic)
Mesosulfuron-methyl, sodium salt	208465-19-4	M-Factor: 100 (acute), 100 (chronic)
Iodosulfuron-methyl-sodium	144550-36-7	M-Factor: 1,000 (acute)

Substances for which there are Community workplace exposure limits:
1,2,4-trimethylbenzene (95-63-6)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do not induce vomiting: contains petroleum distillates and/or aromatic solvents. Call a physician or poison control center immediately. To prevent aspiration of swallowed product, lay in stable position on one side. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: Headache, Nausea, Dizziness, Somnolence Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary oedema and pneumonitis. Inhalation may provoke the following symptoms:
-----------------	---



ALISTER FLEX

Version 4 / IRL
102000025252

5/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Cough, Shortness of breath, Cyanosis, Fever

Symptoms and hazards refer to the solvent.

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Hydrogen iodide (HI), Carbon monoxide (CO), Carbon dioxide (CO ₂), Sulphur dioxide (SO ₂), Nitrogen oxides (NO _x)
--	---

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.
--------------------------------------	---

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---



ALISTER FLEX

Version 4 / IRL
102000025252

6/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

6.4 Reference to other sections

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene) Coex HDPE/EVOH/HDPE
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Diffufenican	83164-33-4	5.5 mg/m ³ (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m ³ (TWA)		OES BCS*
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m ³ (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m ³ (TWA)		OES BCS*
1,2,4-trimethylbenzene	95-63-6	100 mg/m ³ /20 ppm (TWA)	2007	ELV (IE)
1,2,4-trimethylbenzene	95-63-6	100 mg/m ³ /20 ppm (TWA)	12 2009	EU ELV
1,2,4-trimethylbenzene	95-63-6	100 mg/m ³ /20 ppm (TWA)	2014	EU SCOELS

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls



ALISTER FLEX

Version 4 / IRL
102000025252

7/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	light beige
Odour	weak, characteristic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available



ALISTER FLEX

Version 4 / IRL
102000025252

8/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	82 °C
Auto-ignition temperature	385 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	6.7 - 7.5 (10 %) (23 °C) (deionized water)
Viscosity, dynamic	120 - 400 mPa.s (20 °C) Velocity gradient 20 /s 100 - 400 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	120 mm ² /s (20 °C) Shear rate of 100/sec 129 mm ² /s (20 °C) Shear rate of 20/sec 48 mm ² /s (40 °C) Shear rate of 100/sec 56 mm ² /s (40 °C) Shear rate of 20/sec
Water solubility	No data available
Partition coefficient: n-octanol/water	Diflufenican: log Pow: 4.2 Mesosulfuron-methyl: log Pow: -0.48 Iodosulfuron-methyl-sodium: log Pow: -0.7 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
Surface tension	29 mN/m (25 °C) Determined in the undiluted form. 31 mN/m (20 °C) Determined as a 0,1% solution in distilled water (1 g/l).
Vapour pressure	No data available
Density	ca. 1.01 g/cm ³ (20 °C)
Relative density	1.012 (20 °C) 0.997 (40 °C)
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available

9.2 Other information



ALISTER FLEX

Version 4 / IRL
102000025252

9/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Explosivity	Not explosive Regulation (EC) No. 440/2008, Annex, A.14
Oxidizing properties	Oxidizing properties (liquids) No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	Irritating to skin. (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Diflufenican: Based on available data, the classification criteria are not met.

Mesosulfuron-methyl: Based on available data, the classification criteria are not met.



ALISTER FLEX

Version 4 / IRL
102000025252

10/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.

Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Diflufenican did not cause specific target organ toxicity in experimental animal studies.

Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.

Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.

Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.

Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.

Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.

Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Diflufenican did not cause reproductive toxicity in a two-generation study in rats.

Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.

Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.

Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Diflufenican did not cause developmental toxicity in rats and rabbits.

Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits.

Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 16.2 mg/l
Exposure time: 96 h



ALISTER FLEX

Version 4 / IRL
102000025252

11/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Toxicity to aquatic invertebrates	Test conducted with a similar formulation.
	EC50 (Daphnia magna (Water flea)) 16 mg/l Exposure time: 48 h
	Test conducted with a similar formulation.
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.0621 mg/l Exposure time: 72 h
	Test conducted with a similar formulation.
	ErC50 (Lemna gibba (gibbous duckweed)) 0.0733 mg/l Exposure time: 7 d Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability

Diflufenican:
Not rapidly biodegradable
Mesosulfuron-methyl:
Not rapidly biodegradable
Iodosulfuron-methyl-sodium:
Not rapidly biodegradable
Mefenpyr-diethyl:
Not rapidly biodegradable

Koc

Diflufenican: Koc: 3417
Mesosulfuron-methyl: Koc: 347; log Koc: 2.54
Iodosulfuron-methyl-sodium: Koc: 45
Mefenpyr-diethyl: Koc: 625

12.3 Bioaccumulative potential

Bioaccumulation

Diflufenican: Bioconcentration factor (BCF) 1,596
Does not bioaccumulate.
Mesosulfuron-methyl:
On the basis of the partition coefficient n-octanol/water (log pOW) no accumulation in organisms is expected.
Iodosulfuron-methyl-sodium:
Does not bioaccumulate.
Mefenpyr-diethyl: Bioconcentration factor (BCF) 232
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Diflufenican: Slightly mobile in soils
Mesosulfuron-methyl: Moderately mobile in soils
Iodosulfuron-methyl-sodium: Mobile in soils
Mefenpyr-diethyl: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).



ALISTER FLEX

Version 4 / IRL
102000025252

12/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely.

Follow advice on product label and/or leaflet.

Waste key for the unused product

02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number

3082

14.2 Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(IODOSULFURON-METHYL SODIUM SOLUTION)

14.3 Transport hazard class(es)

9

14.4 Packing group

III

14.5 Environm. Hazardous Mark

YES

Hazard no.

90

Tunnel Code

-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number

3082

14.2 Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.



ALISTER FLEX

Version 4 / IRL
102000025252

13/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

14.3 Transport hazard class(es)	(IODOSULFURON-METHYL SODIUM SOLUTION) 9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

Waste Treatment

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.



ALISTER FLEX

Version 4 / IRL
102000025252

14/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.



ALISTER FLEX

Version 4 / IRL
102000025252

15/15

Revision Date: 15.01.2025
Print Date: 15.01.2025

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: The following sections have been revised: Section 9: Physical and Chemical Properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--