



## ALISTER FLEX

Version 4 / IRL  
102000025252

1/15  
Revision Date: 17.01.2023  
Print Date: 17.01.2023

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** ALISTER FLEX  
**UFI** E2V0-M063-300W-6EMQ  
**Product code (UVP)** 80213522

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Ltd  
Bayer Ltd  
1st Floor, The Grange Offices  
The Grange, Brewery Road  
Stillorgan  
A94 H2K7 Co. Dublin  
Ireland

**Telephone** +353 1 216 3300

**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 00800 1020 3333 (24 hr) (not available on non-contract mobile phones)

**For Medical Professionals:** You can also contact Dublin NPIS.

**For Members of the Public:** You can also contact 01 809 2166 (for Republic of Ireland).

---

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Eye irritation: Category 2  
H319 Causes serious eye irritation.

Skin irritation: Category 2  
H315 Causes skin irritation.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.



## ALISTER FLEX

Version 4 / IRL  
102000025252

2/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Diflufenican
- Mesosulfuron-methyl, sodium salt
- Iodosulfuron-methyl-sodium
- Mefenpyr-diethyl



**Signal word:** Warning

#### Hazard statements

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains fatty alcohol ethoxylate alkyl ether. May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

#### Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P501	Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**Ecological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Toxicological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**ALISTER FLEX**Version 4 / IRL  
102000025252

3/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Oil dispersion (OD)

Diflufenican/Iodosulfuron-methyl-sodium/Mesosulfuron-methyl/Mefenpyr-diethyl 120:7,5:9,4:27 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Diflufenican	83164-33-4 617-446-2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	11.88
Mesosulfuron-methyl, sodium salt	208465-19-4	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.93
Iodosulfuron-methyl- sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.75
Mefenpyr-diethyl	135590-91-9 603-923-2	Aquatic Chronic 2, H411	2.67
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35-xxxx	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 STOT SE 3, H336 Aquatic Chronic 2, H411	> 1.00 – < 20.00
White mineral oil	8042-47-5 232-455-8 01-2119487078-27-XXXX	Asp. Tox. 1, H304	> 25.00
Calcium diformate	544-17-2 208-863-7 01-2119486476-24-XXXX	Eye Dam. 1, H318	> 1.00 – < 5.00
Docosate sodium	577-11-7 209-406-4 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 1.00 – < 20.00
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	> 1.00 – < 25.00
1,2,4-trimethylbenzene	95-63-6 202-436-9	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411	> 0.1 – < 5.00

**Further information**

Diflufenican	83164-33-4	M-Factor: 10,000 (acute), 1,000 (chronic)
Mesosulfuron-methyl,	208465-19-4	M-Factor: 1,000 (acute)

**ALISTER FLEX**Version 4 / IRL  
102000025252

4/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

sodium salt		
Iodosulfuron-methyl-sodium	144550-36-7	M-Factor: 1,000 (acute)

Substances for which there are Community workplace exposure limits:  
1,2,4-trimethylbenzene (95-63-6)

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Particle characteristics**

This substance/ mixture does not contain nanoforms

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do not induce vomiting: contains petroleum distillates and/or aromatic solvents. Call a physician or poison control center immediately. To prevent aspiration of swallowed product, lay in stable position on one side. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur: Headache, Nausea, Dizziness, Somnolence Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary oedema and pneumonitis. Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.
-----------------	--

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
--------------	---



## ALISTER FLEX

Version 4 / IRL  
102000025252

5/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

**Treatment** Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific antidote.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Hydrogen iodide (HI), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur dioxide (SO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**ALISTER FLEX**Version 4 / IRL  
102000025252

6/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

- Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.
- Advice on protection against fire and explosion** Keep away from heat and sources of ignition.
- Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

- Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.
- Advice on common storage** Keep away from food, drink and animal feedingstuffs.
- Suitable materials** HDPE (high density polyethylene)  
Coex HDPE/EVOH/HDPE

- 7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Diflufenican	83164-33-4	5.5 mg/m <sup>3</sup> (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m <sup>3</sup> (TWA)		OES BCS*
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m <sup>3</sup> (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m <sup>3</sup> (TWA)		OES BCS*
1,2,4-trimethylbenzene	95-63-6	100 mg/m <sup>3</sup> /20 ppm (TWA)	12 2009	EU ELV
1,2,4-trimethylbenzene	95-63-6	100 mg/m <sup>3</sup> /20 ppm (TWA)	2007	ELV (IE)
1,2,4-trimethylbenzene	95-63-6	100 mg/m <sup>3</sup> /20 ppm (TWA)	2014	EU SCOELS

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

- Respiratory protection** Respiratory protection is not required under anticipated

**ALISTER FLEX**Version 4 / IRL  
102000025252

7/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 5 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid
<b>Colour</b>	light beige
<b>Odour</b>	weak, characteristic
<b>Odour Threshold</b>	No data available
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flammability</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Flash point</b>	82 °C

**ALISTER FLEX**Version 4 / IRL  
102000025252

8/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

<b>Auto-ignition temperature</b>	385 °C
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	6.7 - 7.5 (10 %) (23 °C) (deionized water)
<b>Viscosity, dynamic</b>	120 - 400 mPa.s (20 °C) Velocity gradient 20 /s 100 - 400 mPa.s (20 °C) Velocity gradient 100 /s
<b>Viscosity, kinematic</b>	120 mm <sup>2</sup> /s (20 °C) Shear rate of 100/sec 129 mm <sup>2</sup> /s (20 °C) Shear rate of 20/sec 48 mm <sup>2</sup> /s (40 °C) Shear rate of 100/sec 56 mm <sup>2</sup> /s (40 °C) Shear rate of 20/sec
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Diflufenican: log Pow: 4.2  Mesosulfuron-methyl: log Pow: -0.48 Iodosulfuron-methyl-sodium: log Pow: -0.7 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
<b>Surface tension</b>	29 mN/m (25 °C) Determined in the undiluted form.  31 mN/m (20 °C) Determined as a 0,1% solution in distilled water (1 g/l).
<b>Vapour pressure</b>	No data available
<b>Density</b>	ca. 1.01 g/cm <sup>3</sup> (20 °C)
<b>Relative density</b>	1.012 (20 °C) 0.997 (40 °C)
<b>Relative vapour density</b>	No data available
<b>Assessment nano particles</b>	This substance/ mixture does not contain nanoforms
<b>Particle size</b>	No data available
<b>9.2 Other information</b>	
<b>Explosivity</b>	Not explosive Regulation (EC) No. 440/2008, Annex, A.14
<b>Oxidizing properties</b>	Oxidizing properties (liquids) No oxidizing properties
<b>Evaporation rate</b>	No data available



**ALISTER FLEX**Version 4 / IRL  
102000025252

9/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

**Other physico-chemical properties** Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY**

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
<b>Acute inhalation toxicity</b>	During intended and foreseen applications, no respirable aerosol is formed.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
<b>Skin corrosion/irritation</b>	Irritating to skin. (Rabbit) Test conducted with a similar formulation.
<b>Serious eye damage/eye irritation</b>	Irritating to eyes. (Rabbit) Test conducted with a similar formulation.
<b>Respiratory or skin sensitisation</b>	Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

**Assessment STOT Specific target organ toxicity – single exposure**

Diflufenican: Based on available data, the classification criteria are not met.  
Mesosulfuron-methyl: Based on available data, the classification criteria are not met.  
Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.  
Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

**ALISTER FLEX**Version 4 / IRL  
102000025252

10/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

Diflufenican did not cause specific target organ toxicity in experimental animal studies.  
Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.  
Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.  
Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.  
Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.  
Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.  
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Diflufenican did not cause reproductive toxicity in a two-generation study in rats.  
Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.  
Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.  
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Diflufenican did not cause developmental toxicity in rats and rabbits.  
Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits.  
Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.  
Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 16.2 mg/l  
Exposure time: 96 h  
Test conducted with a similar formulation.

**Toxicity to aquatic invertebrates**

EC50 (Daphnia magna (Water flea)) 16 mg/l  
Exposure time: 48 h  
Test conducted with a similar formulation.

**ALISTER FLEX**Version 4 / IRL  
102000025252

11/15

Revision Date: 17.01.2023

Print Date: 17.01.2023

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.0621 mg/l  
Exposure time: 72 h  
Test conducted with a similar formulation.

ErC50 (Lemna gibba (gibbous duckweed)) 0.0733 mg/l  
Exposure time: 7 d  
Test conducted with a similar formulation.

**12.2 Persistence and degradability**

**Biodegradability** Diflufenican:  
Not rapidly biodegradable  
Mesosulfuron-methyl:  
Not rapidly biodegradable  
Iodosulfuron-methyl-sodium:  
Not rapidly biodegradable  
Mefenpyr-diethyl:  
Not rapidly biodegradable

**Koc** Diflufenican: Koc: 3417  
Mesosulfuron-methyl: Koc: 92  
Iodosulfuron-methyl-sodium: Koc: 45  
Mefenpyr-diethyl: Koc: 625

**12.3 Bioaccumulative potential**

**Bioaccumulation** Diflufenican: Bioconcentration factor (BCF) 1,596  
Does not bioaccumulate.  
Mesosulfuron-methyl:  
Does not bioaccumulate.  
Iodosulfuron-methyl-sodium:  
Does not bioaccumulate.  
Mefenpyr-diethyl: Bioconcentration factor (BCF) 232  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Diflufenican: Slightly mobile in soils  
Mesosulfuron-methyl: Moderately mobile in soils  
Iodosulfuron-methyl-sodium: Mobile in soils  
Mefenpyr-diethyl: Slightly mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have

**ALISTER FLEX**Version 4 / IRL  
102000025252

12/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects****Additional ecological information**

No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Product</b>	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
<b>Contaminated packaging</b>	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.
<b>Waste key for the unused product</b>	<b>02 01 08*</b> agrochemical waste containing hazardous substances

**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**



## ALISTER FLEX

Version 4 / IRL  
102000025252

13/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

#### Waste Treatment

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

#### Further information

WHO-classification: III (Slightly hazardous)

### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

---

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

**ALISTER FLEX**Version 4 / IRL  
102000025252

14/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.



**ALISTER FLEX**

Version 4 / IRL  
102000025252

15/15

Revision Date: 17.01.2023  
Print Date: 17.01.2023

**Reason for Revision:**

The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 9: Physical and Chemical Properties. Section 11: Toxicological Information. Section 12. Ecological information. Safety Data Sheet according to Regulation (EU) No. 2020/878. Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation.

Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 9: Physical and Chemical Properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.