



BACARA TRIPLE

Version 2 / IRL
102000027454

1/15
Revision Date: 17.01.2023
Print Date: 17.01.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name BACARA TRIPLE
UFI 5XQ0-A021-E005-F1NM
Product code (UVP) 81740143

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
A94 H2K7 Co. Dublin
Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr) (not available on non-contract mobile phones)

For Medical Professionals: You can also contact Dublin NPIS.

For Members of the Public: You can also contact 01 809 2166 (for Republic of Ireland).

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

**BACARA TRIPLE**Version 2 / IRL
102000027454

2/15

Revision Date: 17.01.2023
Print Date: 17.01.2023**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Flufenacet
- Diflufenican
- Metribuzin

**Signal word:** Warning**Hazard statements**

H373	May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains Flufenacet, 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Metribuzin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**BACARA TRIPLE**Version 2 / IRL
102000027454

3/15

Revision Date: 17.01.2023
Print Date: 17.01.2023**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**Suspension concentrate (=flowable concentrate)(SC)
Diflufenican 171 g/l; Flufenacet 171 g/l; Metribuzin 64 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Diflufenican	83164-33-4 617-446-2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	14.60
Flufenacet	142459-58-3	Acute Tox. 4, H302 STOT RE 2, H373 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	14.60
Metribuzin	21087-64-9 244-209-7	Aquatic Acute 1, H400 Acute Tox. 4, H302 Aquatic Chronic 1, H410	5.47
Alkylated Naphthalene sulfonate, sodium salt	68425-94-5	Skin Irrit. 2, H315 Eye Dam. 1, H318	>= 1 – < 3
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 01-2120761540-60-0003	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Skin Sens. 1, H317	> 0.005 – < 0.05
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.00015 – < 0.0015
Glycerine	56-81-5 200-289-5 01-2119471987-18-XXXX	Not classified	> 1.0
Pyrogenic (fumed) amorphous silica	112945-52-5 231-545-4 01-2119379499-16-XXXX	Not classified	> 1.0

Further information

Diflufenican	83164-33-4	M-Factor: 10,000 (acute), 1,000 (chronic)
Flufenacet	142459-58-3	M-Factor: 100 (acute), 100 (chronic)
Metribuzin	21087-64-9	M-Factor: 10 (acute), 10 (chronic)

**BACARA TRIPLE**Version 2 / IRL
102000027454

4/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 10 (acute)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	SCL: Skin Sens. 1; H317: SCL \geq 0.05 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL \geq 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL \geq 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL \geq 0.0015 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.



BACARA TRIPLE

Version 2 / IRL
102000027454

5/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	<p>The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis.</p> <p>If large amounts are ingested, the following symptoms may occur: Headache, Nausea, Dizziness, Drowsiness, Tiredness, Breathing difficulties, tachycardia</p> <p>Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).</p>
-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Danger of formation of methaemoglobin.
Treatment	Treat symptomatically. In case of methaemoglobinemia, oxygen and specific antidotes (methylene blue/ toluidine blue) should be given. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire., In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.



BACARA TRIPLE

Version 2 / IRL
102000027454

6/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
------------	---------	--------------------	--------	-------

**BACARA TRIPLE**Version 2 / IRL
102000027454

7/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

Metribuzin	21087-64-9	5 mg/m ³ (TWA)	2007	ELV (IE)
Metribuzin	21087-64-9	0.36 mg/m ³ (SK-SEN)		OES BCS*
Diflufenican	83164-33-4	5.5 mg/m ³ (TWA)		OES BCS*
Flufenacet	142459-58-3	0.3 mg/m ³ (SK-SEN)		OES BCS*
Glycerine (Respirable dust.)	56-81-5	4 mg/m ³ (TWA)	01 2020	ELV (IE)
Glycerine (Total inhalable dust.)	56-81-5	10 mg/m ³ (TWA)	01 2020	ELV (IE)
Pyrogenic (fumed) amorphous silica (Total inhalable dust.)	112945-52-5	6 mg/m ³ (TWA)	01 2020	ELV (IE)
Pyrogenic (fumed) amorphous silica (Respirable dust.)	112945-52-5	2.4 mg/m ³ (TWA)	01 2020	ELV (IE)
Pyrogenic (fumed) amorphous silica (Respirable dust.)	112945-52-5	4 mg/m ³ (TWA)	01 2020	ELV (IE)
Pyrogenic (fumed) amorphous silica (Total inhalable dust.)	112945-52-5	10 mg/m ³ (TWA)	01 2020	ELV (IE)

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,



BACARA TRIPLE

Version 2 / IRL
102000027454

8/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	white to beige
Odour	weakly pungent
Odour Threshold	No data available
Melting point/range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	> 96 °C
Auto-ignition temperature	445 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	4.0 - 6.0 (100 %) (23 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	294 mm ² /s (40 °C) Shear rate of 20/sec 102 mm ² /s (40 °C) Shear rate of 100/sec
Water solubility	No data available
Partition coefficient: n-octanol/water	Metribuzin: log Pow: 1.6



BACARA TRIPLE

Version 2 / IRL
102000027454

9/15
Revision Date: 17.01.2023
Print Date: 17.01.2023

	Diflufenican: log Pow: 4.2
	Flufenacet: log Pow: 3.2
Surface tension	37 mN/m (25 °C) Determined in the undiluted form.
Vapour pressure	No data available
Density	1.17 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Impact sensitivity	Not impact sensitive.
Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity ATE (Mix) (Rat) > 2,000 mg/kg

**BACARA TRIPLE**Version 2 / IRL
102000027454

10/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

	calculated
Acute inhalation toxicity	LC50 (Rat) > 4.19 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol. Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Metribuzin: Based on available data, the classification criteria are not met.
Diflufenican: Based on available data, the classification criteria are not met.
Flufenacet: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Metribuzin caused specific target organ toxicity in experimental animal studies in the following organ(s):
Liver, Kidney.
Diflufenican did not cause specific target organ toxicity in experimental animal studies.
Flufenacet caused neurobehavioral effects and/or neuropathological changes in animal studies.

Assessment mutagenicity

Metribuzin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Flufenacet was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Metribuzin was not carcinogenic in lifetime feeding studies in rats and mice.
Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.
Flufenacet was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Metribuzin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Metribuzin is related to parental toxicity.
Diflufenican did not cause reproductive toxicity in a two-generation study in rats.
Flufenacet did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Metribuzin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Metribuzin are related to maternal toxicity.
Diflufenican did not cause developmental toxicity in rats and rabbits.
Flufenacet caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Flufenacet are related to maternal toxicity.

Aspiration hazard

**BACARA TRIPLE**Version 2 / IRL
102000027454

11/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish**

LC50 (*Lepomis macrochirus* (Bluegill sunfish)) 2.13 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient flufenacet.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) > 109 µg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient diflufenican.
Aquatic toxicity is unlikely due to low solubility.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) 74.6 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient metribuzin.

Toxicity to aquatic invertebrates

EC50 (*Daphnia magna* (Water flea)) 30.9 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient flufenacet.

EC50 (*Daphnia magna* (Water flea)) > 240 µg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient diflufenican.
No acute toxicity was observed at its limit of water solubility.

EC50 (*Daphnia magna* (Water flea)) 49 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient metribuzin.

Toxicity to aquatic plants

EC50 (*Raphidocelis subcapitata* (freshwater green alga)) 9,36 µg/l
Growth rate; Exposure time: 72 h
Test conducted with a similar formulation.

NOEC (*Raphidocelis subcapitata* (freshwater green alga)) 0,477 µg/l
Growth rate; Exposure time: 72 h
Test conducted with a similar formulation.

EC50 (*Lemna gibba* (gibbous duckweed)) 49,3 µg/l
Growth rate; Exposure time: 7 d
Test conducted with a similar formulation.

12.2 Persistence and degradability**Biodegradability**

Metribuzin:
Not rapidly biodegradable



BACARA TRIPLE

Version 2 / IRL
102000027454

12/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

Diflufenican:
Not rapidly biodegradable
Flufenacet:
Not rapidly biodegradable

Koc Metribuzin: Koc: 24 - 106
Diflufenican: Koc: 3417
Flufenacet: Koc: 202

12.3 Bioaccumulative potential

Bioaccumulation Metribuzin:
Does not bioaccumulate.
Diflufenican: Bioconcentration factor (BCF) 1,596
Does not bioaccumulate.
Flufenacet: Bioconcentration factor (BCF) 71
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Metribuzin: Mobile in soils
Diflufenican: Slightly mobile in soils
Flufenacet: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Metribuzin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**BACARA TRIPLE**Version 2 / IRL
102000027454

13/15

Revision Date: 17.01.2023
Print Date: 17.01.2023

Contaminated packaging	Triple rinse containers. Do not re-use empty containers. Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, METRIBUZIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, METRIBUZIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, METRIBUZIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or**

**BACARA TRIPLE**Version 2 / IRL
102000027454

14/15

Revision Date: 17.01.2023
Print Date: 17.01.2023**mixture****Republic of Ireland Regulations**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

Waste Treatment

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number

**BACARA TRIPLE**Version 2 / IRL
10200002745415/15
Revision Date: 17.01.2023
Print Date: 17.01.2023

ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision:	Safety Data Sheet according to Regulation (EU) No. 2020/878. Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation.
	The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 12. Ecological information. Section 13. Disposal considerations.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.