



## CONVISO ONE

Version 1 / IRL  
102000025743

1/12  
Revision Date: 11.07.2019  
Print Date: 11.07.2019

---

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** CONVISO ONE  
**Product code (UVP)** 80979444

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Ltd  
Bayer Ltd  
The Atrium, Blackthorn Road  
Sandyford  
Dublin 18  
Ireland

**Telephone** +353-1-2999313

**Responsible Department** Email: ukcropsupport@bayer.com

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 00800 1020 3333 (24 hr)

---

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Aspiration hazard: Category 1  
H304 May be fatal if swallowed and enters airways.

Skin irritation: Category 2  
H315 Causes skin irritation.

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Serious eye damage: Category 1  
H318 Causes serious eye damage.

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

**CONVISO ONE**Version 1 / IRL  
102000025743

2/12

Revision Date: 11.07.2019  
Print Date: 11.07.2019**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Thiencarbazone-methyl
- Foramsulfuron
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene
- Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated

**Signal word:** Danger**Hazard statements**

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P331	Do NOT induce vomiting.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**Oil dispersion (OD)  
Thiencarbazon-methyl 30g/l; Foramsulfuron 50 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. /	Classification	Conc. [%]
		REGULATION (EC) No	

**CONVISO ONE**Version 1 / IRL  
102000025743

3/12

Revision Date: 11.07.2019

Print Date: 11.07.2019

	REACH Reg. No.	1272/2008	
Thiocarbazono-methyl	317815-83-1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	2.91
Foramsulfuron	173159-57-4	Aquatic Chronic 3, H412	4.85
2-Ethylhexanole	104-76-7 203-234-3 01-2119487289-20-xxxx	Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	> 1 – < 5
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Chronic 2, H411	> 5 – < 15
Docusate sodium	577-11-7 209-406-4 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 1 – < 10
Solvent Naphtha (petroleum), light aromatic	64742-95-6 265-199-0 01-2119455851-35-xxxx	Flam. Liq. 3, H226 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 1 – < 5
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	68584-23-6 01-2119560592-37-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412	> 1 – < 10
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5 265-198-5 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 25

**Further information**

Thiocarbazono-methyl	317815-83-1	M-Factor: 100 (acute)
----------------------	-------------	-----------------------

Substances for which there are Community workplace exposure limits:  
2-Ethylhexanole (104-76-7)

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation**

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact**

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.



## CONVISO ONE

Version 1 / IRL  
102000025743

4/12

Revision Date: 11.07.2019  
Print Date: 11.07.2019

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

---

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**Additional advice** Check also for any local site procedures.

**CONVISO ONE**Version 1 / IRL  
102000025743

5/12

Revision Date: 11.07.2019

Print Date: 11.07.2019

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** Coex HDPE/EVOH/HDPE

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Thiocarbazono-methyl	317815-83-1	10 mg/m <sup>3</sup> (TWA)		OES BCS*
Foramsulfuron	173159-57-4	10 mg/m <sup>3</sup> (TWA)		OES BCS*
2-Ethylhexanole	104-76-7	5.4 mg/m <sup>3</sup> /1 ppm (TWA)	02 2017	EU ELV
2-Ethylhexanole	104-76-7	1 ppm (TWA)	2014	EU SCOELS
Solvent Naphtha (petroleum), light aromatic	64742-95-6	116 mg/m <sup>3</sup> /20 ppm (TWA)	2014	EU SCOELS
Solvent Naphtha (petroleum), light aromatic	64742-95-6	290 mg/m <sup>3</sup> /50 ppm (STEL)	2014	EU SCOELS

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the



**CONVISO ONE**

Version 1 / IRL  
102000025743

**6/12**  
Revision Date: 11.07.2019  
Print Date: 11.07.2019

following recommendations would apply.

- Respiratory protection**      Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
- Hand protection**              Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
- |                      |  |
|----------------------|--|
| Material             | Nitrile rubber                           |
| Rate of permeability | > 480 min                                |
| Glove thickness      | > 0.4 mm                                 |
| Protective index     | Class 6                                  |
| Directive            | Protective gloves complying with EN 374. |
- Eye protection**              Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).
- Skin and body protection**      Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
- General protective measures**    If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

- |                    |   |
|--------------------|---|
| <b>Form</b>        | suspension  |
| <b>Colour</b>      | beige to brown  |
| <b>Odour</b>       | aromatic  |
| <b>pH</b>          | 4.0 - 5.0 (10 %) (23 °C) (deionized water)<br>Please, note manufacturing remarks! |
| <b>Flash point</b> | 83.5 °C   |

**CONVISO ONE**Version 1 / IRL  
102000025743

7/12

Revision Date: 11.07.2019

Print Date: 11.07.2019

---

<b>Ignition temperature</b>	420 °C
<b>Auto-ignition temperature</b>	420 °C
<b>Upper explosion limit</b>	7.00 %(V) The data refer to solvent naphtha petroleum.
<b>Lower explosion limit</b>	0.8 %(V) The data refer to solvent naphtha petroleum.
<b>Relative vapour density</b>	1.00 The data refer to solvent naphtha petroleum.
<b>Density</b>	1.03 g/cm <sup>3</sup> ( 20 °C)
<b>Partition coefficient: n-octanol/water</b>	Thiencarbazone-methyl: log Pow: -0.13 Foramsulfuron: log Pow: 0.60
<b>Viscosity, kinematic</b>	20 mm <sup>2</sup> /s ( 40 °C)
<b>Surface tension</b>	29 mN/m ( 25 °C) Determined in the undiluted form. 35 mN/m ( 20 °C) Determined as a 0,1% solution in distilled water (1 g/l).
<b>Impact sensitivity</b>	Not impact sensitive.
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

<b>Thermal decomposition</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

<b>Acute oral toxicity</b>	LD50 (Rat) > 2,000 mg/kg
----------------------------	--------------------------

**CONVISO ONE**Version 1 / IRL  
102000025743

8/12

Revision Date: 11.07.2019  
Print Date: 11.07.2019

<b>Acute inhalation toxicity</b>	LC50 (Rat) 4.91 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Skin corrosion/irritation</b>	Irritating to skin. (Rabbit)
<b>Serious eye damage/eye irritation</b>	Severe eye irritation. (Rabbit)
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment STOT Specific target organ toxicity – single exposure**

Thiencarbazone-methyl: Based on available data, the classification criteria are not met.  
Foramsulfuron: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.  
Foramsulfuron did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Foramsulfuron was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.  
Foramsulfuron was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.  
Foramsulfuron did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.  
Foramsulfuron did not cause developmental toxicity in rats and rabbits.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Further information**

No further toxicological information is available.

---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 6.72 mg/l static test; Exposure time: 96 h
<b>Toxicity to aquatic</b>	EC50 (Daphnia magna (Water flea)) 6.21 mg/l



**CONVISO ONE**Version 1 / IRL  
102000025743

9/12

Revision Date: 11.07.2019

Print Date: 11.07.2019

<b>invertebrates</b>	static test; Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.81 mg/l Growth rate; Exposure time: 72 h EC50 (Lemna gibba (gibbous duckweed)) 0.0134 mg/l Growth rate; Exposure time: 7 d

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Thiencarbazone-methyl: Not rapidly biodegradable Foramsulfuron: Not rapidly biodegradable
<b>Koc</b>	Thiencarbazone-methyl: Koc: 100 Foramsulfuron: Koc: 38 - 151

**12.3 Bioaccumulative potential**

<b>Bioaccumulation</b>	Thiencarbazone-methyl: Does not bioaccumulate. Foramsulfuron: Does not bioaccumulate.
------------------------	--

**12.4 Mobility in soil**

<b>Mobility in soil</b>	Thiencarbazone-methyl: Moderately mobile in soils Foramsulfuron: Mobile in soils
-------------------------	---

**12.5 Results of PBT and vPvB assessment**

<b>PBT and vPvB assessment</b>	Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Foramsulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	--

**12.6 Other adverse effects**

<b>Additional ecological information</b>	No further ecological information is available.
--	---

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
<b>Contaminated packaging</b>	Not completely emptied packagings should be disposed of as hazardous waste.
<b>Waste key for the unused product</b>	<b>02 01 08*</b> agrochemical waste containing hazardous substances



**CONVISO ONE**

Version 1 / IRL  
102000025743

10/12

Revision Date: 11.07.2019  
Print Date: 11.07.2019

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIENCARBAZONE-METHYL SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIENCARBAZONE-METHYL SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIENCARBAZONE-METHYL SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Republic of Ireland Regulations**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

**Supply and Use**

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

**CONVISO ONE**Version 1 / IRL  
102000025743

11/12

Revision Date: 11.07.2019  
Print Date: 11.07.2019

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)  
European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)  
2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

**Waste Treatment**

Landfill Directive  
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

**Further information**

WHO-classification: III (Slightly hazardous)

**15.2 Chemical safety assessment**

A chemical safety assessment is not required.

**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %



## CONVISO ONE

Version 1 / IRL  
102000025743

**12/12**  
Revision Date: 11.07.2019  
Print Date: 11.07.2019

IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

**Reason for Revision:** The following sections have been revised: Section 1: Chemical Product and Company Information. Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.