amended



CONVISO ONE

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CONVISO ONE

UFI T4V0-30VG-E00D-VS6S

Product code (UVP) 80979444

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd

Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan

A94 H2K7 Co. Dublin

Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to

the UK)

For Medical Professionals and Members of the Public:

You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Skin irritation: Category 2

H315 Causes skin irritation.

Skin sensitisation: Category 1

amended

102000025743



Print Date: 13.03.2025

CONVISO ONE
Version 3 / IRL
Revision Date: 13.03.2025

H317 May cause an allergic skin reaction.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Acute toxicity: Category 4

H332 Harmful if inhaled.

Carcinogenicity: Category 2

H351 Suspected of causing cancer.
Short-term (acute) aquatic hazard: Category 1
H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Thiencarbazone-methyl
- Foramsulfuron
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene
- Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated









Signal word: Danger Hazard statements

H304	May be fatal if swallowed and enters airways.
11007	may be latal if swallowed and criters all ways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H332 Harmful if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

H351 Suspected of causing cancer.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P331 Do NOT induce vomiting.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or

collection site, except for triple rinsed empty containers which can be disposed of as

non-hazardous waste.

amended



CONVISO ONE 3/14

 Version 3 / IRL
 Revision Date: 13.03.2025

 102000025743
 Print Date: 13.03.2025

2.3 Other hazards

No additional hazards known beside those mentioned.

Foramsulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Oil dispersion (OD)

Thiencarbazon-methyl 30g/l; Foramsulfuron 50 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]
Foramsulfuron	173159-57-4 605-666-1	Aquatic Chronic 1, H410 Aquatic Acute 1, H400 Carc. 2, H351	4.85
Thiencarbazone-methyl	317815-83-1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	2.91
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	922-153-0 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	>= 50 - < 70
Alcohols, C11-14-iso-, C13-rich, ethoxylated (6 EO), methylated	1492044-51-5	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	>= 3 - < 10
Docusate sodium	577-11-7 209-406-4 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	>= 3 - < 10
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35-XXXX	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H335 STOT SE 3, H336 Aquatic Chronic 2, H411	>= 2.5 - < 10
Benzenesulfonic acid,	1335202-81-7	Skin Irrit. 2, H315	>= 1 - < 2.5

amended



 CONVISO ONE

 Version 3 / IRL
 Revision Date: 13.03.2025

 102000025743
 Print Date: 13.03.2025

C10-13-alkyl derivs.,	932-231-6	Eye Dam. 1, H318	ĺ
calcium salt	01-2119560592-37-xxxx	Aquatic Chronic 3, H412	

Further information

ForamsulfuronForamsulf	173159-57-4	M-Factor: 1,000 (acute), 100 (chronic)
uron		
Thiencarbazone-methyl	317815-83-1	M-Factor: 1,000 (acute), 1,000 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Symptoms and hazards refer to the solvent.

Headache, Nausea, Dizziness, Somnolence

Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever

4.3 Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

amended



CONVISO ONEVersion 3 / IRL
Revision Date: 13.03.2025

102000025743 Revision Date: 13.03.2025 Print Date: 13.03.2025

Treatment Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2),

Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

amended



CONVISO ONE 6/14

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Coex HDPE/EVOH/HDPE

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Foramsulfuron	173159-57-4	10 mg/m3 (TWA)		OES BCS*
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*
2-Ethylhexanol	104-76-7	5.4 mg/m3/1 ppm (TWA)	2018	ELV (IE)
2-Ethylhexanol	104-76-7	1 ppm (TWA)	2014	EU SCOELS
2-Ethylhexanol	104-76-7	5.4 mg/m3/1 ppm (TWA)	02 2017	EU ELV

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

amended



CONVISO ONE 7/14

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colour beige to brown

Odour aromatic

Odour Threshold No data available
Melting point/ range No data available
Boiling Point No data available
Flammability No data available

Upper explosion limit 7.00 %(V)

The data refer to the solvent.

Lower explosion limit 0.8 %(V)

The data refer to the solvent.

Flash point 83.5 °C

Auto-ignition temperature No data available

Ignition temperature 420 °C

Self-accelarating No d

decomposition temperature

No data available

amended



CONVISO ONE 8/14

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

(SADT)

pH 4.0 - 5.5 (10 %) (23 °C) (deionized water)

Viscosity, dynamic No data available

Viscosity, kinematic 20 mm²/s (40 °C) Water solubility No data available

Partition coefficient: n-

octanol/water

Foramsulfuron: log Pow: 0.60

Thiencarbazone-methyl: log Pow: -0.13

Surface tension 29 mN/m (25 °C)

Determined in the undiluted form.

35 mN/m (20 °C)

Determined as a 0,1% solution in distilled water (1 g/l).

Vapour pressure

No data available

1.03 g/cm³ (20 °C)

Relative density

No data available

Relative vapour density 1.00

The data refer to the solvent.

Particle size No data available

9.2 Other information

Impact sensitivity Not impact sensitive.

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Oxidizing properties No oxidizing properties

Evaporation rate No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

amended



CONVISO ONE 9/14

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) 4.91 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin corrosion/irritation Irritating to skin. (Rabbit)

Serious eve damage/eve

irritation

Risk of serious damage to eyes. (Rabbit)

Respiratory or skin Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Foramsulfuron: Based on available data, the classification criteria are not met.

Thiencarbazone-methyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Foramsulfuron did not cause specific target organ toxicity in experimental animal studies.

Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Foramsulfuron was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Foramsulfuron: Suspected of causing cancer.

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

Assessment toxicity to reproduction

Foramsulfuron did not cause reproductive toxicity in a two-generation study in rats.

Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Foramsulfuron did not cause developmental toxicity in rats and rabbits.

amended



 CONVISO ONE

 Version 3 / IRL
 Revision Date: 13.03.2025

 102000025743
 Print Date: 13.03.2025

Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 6.72 mg/l

static test; Exposure time: 96 h

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) 6.21 mg/l static test; Exposure

time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.81 mg/l

Growth rate; Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)) 0.0134 mg/l

Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability Foramsulfuron:

Not rapidly biodegradable Thiencarbazone-methyl: Not rapidly biodegradable

Koc Foramsulfuron: Koc: 38 - 151

Thiencarbazone-methyl: Koc: 100

12.3 Bioaccumulative potential

Bioaccumulation Foramsulfuron:

Does not bioaccumulate. Thiencarbazone-methyl: Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Foramsulfuron: Mobile in soils

Thiencarbazone-methyl: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Foramsulfuron: This substance is not considered to be persistent,

amended



CONVISO ONE

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No further ecological information is available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Triple rinse containers.

Do not re-use empty containers.

Not completely emptied packagings should be disposed of as

hazardous waste.

Waste key for the unused

product

02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

14.3 Transport hazard class(es)914.4 Packing groupII

14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazard no. 90
Tunnel Code -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

amended



CONVISO ONE

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

(THIENCARBAZONE-METHYL SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIENCARBAZONE-METHYL SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent ammendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

Waste Treatment

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

amended



CONVISO ONE

 Version 3 / IRL
 Revision Date: 13.03.2025

 102000025743
 Print Date: 13.03.2025

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

ELV Exposure Limit Value
EN European Standard
EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's



14/14

CONVISO ONE

Version 3 / IRL Revision Date: 13.03.2025 102000025743 Print Date: 13.03.2025

instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 3: Composition /

Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.