



EMESTO PRIME DS

Version 1 / IRL
102000022662

1/10
Revision Date: 23.01.2018
Print Date: 30.05.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name EMESTO PRIME DS
Product code (UVP) 79849036

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd
Bayer Ltd
The Atrium, Blackthorn Road
Sandyford
Dublin 18
Ireland

Telephone +353-1-2999313

Responsible Department Email: ukcropsupport@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Chronic aquatic toxicity: Category 2
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Penflufen



Hazard statements

H411 Toxic to aquatic life with long lasting effects.

**EMESTO PRIME DS**Version 1 / IRL
102000022662

2/10

Revision Date: 23.01.2018
Print Date: 30.05.2019

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Powder for dry seed treatment (DS)
Penflufen 2%

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Penflufen	494793-67-8 619-823-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	2.00
White mineral oil	8042-47-5 232-455-8 01-2119487078-27-XXXX	Asp. Tox. 1, H304	$\geq 1.00 - < 10$
Talc	14807-96-6 238-877-9	Not classified	≥ 1.00
Calcium carbonate	1317-65-3 215-279-6	Not classified	≥ 1.00

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.



EMESTO PRIME DS

Version 1 / IRL
102000022662

3/10
Revision Date: 23.01.2018
Print Date: 30.05.2019

Skin contact	Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.



EMESTO PRIME DS

Version 1 / IRL
102000022662

4/10

Revision Date: 23.01.2018
Print Date: 30.05.2019

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Polyethylene film within an outer package

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Penflufen	494793-67-8	1.1 mg/m ³ (TWA)		OES BCS*
Talc (Respirable dust.)	14807-96-6	0.8 mg/m ³ (TWA)	2011	ELV (IE)
Talc (Total inhalable dust.)	14807-96-6	10 mg/m ³ (TWA)	2011	ELV (IE)
Calcium carbonate (Total inhalable dust.)	1317-65-3	10 mg/m ³ (TWA)	2011	ELV (IE)
Calcium carbonate	1317-65-3	4 mg/m ³ (TWA)	2011	ELV (IE)



EMESTO PRIME DS

Version 1 / IRL
102000022662

5/10
Revision Date: 23.01.2018
Print Date: 30.05.2019

(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m ³ (TWA)	2011	ELV (IE)
(Respirable dust.)				

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

If product is handled while not enclosed, and if contact may occur: Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	powder
Colour	light grey
Odour	characteristic
Flammability (solid, gas)	The product is not highly flammable.
Auto-ignition temperature	> 400 °C

**EMESTO PRIME DS**Version 1 / IRL
102000022662**6/10**
Revision Date: 23.01.2018
Print Date: 30.05.2019

Minimum ignition energy	> 1 J
Partition coefficient: n-octanol/water	Penflufen: log Pow: 3.3 at 25 °C
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.2875 mg/l Exposure time: 4 h Determined in the form of dust. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Penflufen: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Penflufen did not cause specific target organ toxicity in experimental animal studies.

**EMESTO PRIME DS**Version 1 / IRL
102000022662

7/10

Revision Date: 23.01.2018
Print Date: 30.05.2019**Assessment mutagenicity**

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): hematopoietic system, ovaries, Brain. The mechanism that triggers these tumours is not relevant to humans.

Assessment toxicity to reproduction

Penflufen did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Penflufen did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Cyprinus carpio (Carp)) 7.51 mg/l Exposure time: 96 h
Chronic toxicity to fish	Pimephales promelas (fathead minnow) flow-through test 0.0234 mg/l Exposure time: 35 d The value mentioned relates to the active ingredient.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 4.66 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient. No acute toxicity was observed at its limit of water solubility.
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5.1 mg/l Growth rate; Exposure time: 96 h The value mentioned relates to the active ingredient. No acute toxicity was observed at its limit of water solubility.

12.2 Persistence and degradability

Biodegradability Penflufen:
Not rapidly biodegradable

Koc Penflufen: Koc: 280

12.3 Bioaccumulative potential

Bioaccumulation Penflufen: Bioconcentration factor (BCF) 142
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Penflufen: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Penflufen: This substance is not considered to be persistent,

**EMESTO PRIME DS**Version 1 / IRL
102000022662

8/10

Revision Date: 23.01.2018
Print Date: 30.05.2019

bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Follow advice on product label and/or leaflet.

Waste key for the unused product **02 01 08*** agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PENFLUFEN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PENFLUFEN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
----------------	-------------

**EMESTO PRIME DS**Version 1 / IRL
102000022662

9/10

Revision Date: 23.01.2018
Print Date: 30.05.2019

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PENFLUFEN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %



EMESTO PRIME DS

Version 1 / IRL
102000022662

10/10
Revision Date: 23.01.2018
Print Date: 30.05.2019

IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Reason for Revision: New Safety Data Sheet. Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.