

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

1/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FIREBIRD
UFI T5F0-P0NJ-500P-Y771
Product code (UVP) 05700094

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
A94 H2K7 Co. Dublin
Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to the UK)

For Medical Professionals and Members of the Public:
You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Specific target organ toxicity - repeated exposure: Category 2

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

2/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.

Short-term (acute) aquatic hazard: Category 1

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Flufenacet
- Diflufenican

Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

3/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC)
Flufenacet/Diflufenican 400:200 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Diflufenican	83164-33-4 617-446-2	Aquatic Chronic 1, H410 Aquatic Acute 1, H400	16.1
Flufenacet	142459-58-3	STOT RE 2, H373 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 4, H302	32.3
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 01-2120761540-60-0003	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.036 – < 0.1
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.00015 – < 0.0015
Glycerine	56-81-5 200-289-5 01-2119471987-18-XXXX	Not classified	> 1.00

Further information

Diflufenican	83164-33-4	M-Factor: 10,000 (acute), 1,000 (chronic)
Flufenacet	142459-58-3	M-Factor: 100 (acute), 100 (chronic)
1,2-Benzisothiazol-3(2H)-one 1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 1 (acute), 1 (chronic)
1,2-Benzisothiazol-	2634-33-5	SCL: Skin Sens. 1; H317: SCL >= 0.036 %

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

4/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

3(2H)-one		
1,2-Benzisothiazol-3(2H)-one	2634-33-5	Inhalation: ATE = 0.21 mg/l (dust/mist)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	Inhalation: ATE = 0.21 mg/l
1,2-Benzisothiazol-3(2H)-one	2634-33-5	Oral: ATE = 450 mg/kg
1,2-Benzisothiazol-3(2H)-one	2634-33-5	Oral: ATE = 450 mg/kg
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL >= 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL >= 0.0015 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL >= 0.6 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

5/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: Headache, Nausea, Dizziness, Drowsiness, Tiredness, Breathing difficulties, tachycardia Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s). The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis.
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Danger of formation of methaemoglobin.
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. In case of methaemoglobinemia, oxygen and specific antidotes (methylene blue/ toluidine blue) should be given.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
-----------------	--

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

6/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:., Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash thoroughly with soap and water after handling. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

7/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

Requirements for storage areas and containers	Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from frost. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene) Coex HDPE/EVOH/HDPE
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Diflufenican	83164-33-4	5.5 mg/m ³ (TWA)		OES BCS*
Flufenacet	142459-58-3	0.3 mg/m ³ (SK-SEN)		OES BCS*
Glycerine (Total inhalable dust.)	56-81-5	10 mg/m ³ (TWA)	01 2020	ELV (IE)
Glycerine (Respirable dust.)	56-81-5	4 mg/m ³ (TWA)	01 2020	ELV (IE)

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

Formulated product

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

8/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

374.

Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	white to beige
Odour	weak, characteristic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	445 °C
Self-accelerating decomposition temperature (SADT)	No data available
pH	4.0 - 6.5 (100 %) (23 °C)
Viscosity, dynamic	250 - 450 mPa.s (20 °C) Velocity gradient 20 /s 100 - 300 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	No data available
Water solubility	dispersible
Partition coefficient: n-	Diflufenican: log Pow: 4.2

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

9/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

octanol/water

	Flufenacet: log Pow: 3.2
Surface tension	36 mN/m (25 °C)
Vapour pressure	No data available
Density	ca. 1.24 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available

9.2 Other information

Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 500 - < 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.078 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

10/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

	No deaths
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Diflufenican: Based on available data, the classification criteria are not met.
Flufenacet: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Diflufenican did not cause specific target organ toxicity in experimental animal studies.
Flufenacet caused neurobehavioral effects and/or neuropathological changes in animal studies.

Assessment mutagenicity

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Flufenacet was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.
Flufenacet was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Diflufenican did not cause reproductive toxicity in a two-generation study in rats.
Flufenacet did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Diflufenican did not cause developmental toxicity in rats and rabbits.
Flufenacet caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Flufenacet are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 12.3 mg/l

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

11/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

	Exposure time: 96 h Test conducted with a similar formulation.
Toxicity to aquatic invertebrates	LC50 (Daphnia magna (Water flea)) > 100 mg/l Exposure time: 48 h Test conducted with a similar formulation.
Toxicity to aquatic plants	ErC50 (Raphidocelis subcapitata (freshwater green alga)) 6,02 µg/L Growth rate; Exposure time: 72 h ErC50 (Lemna gibba (gibbous duckweed)) 188 µg/l Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability	Diflufenican: Not rapidly biodegradable Flufenacet: Not rapidly biodegradable
-------------------------	--

Koc	Diflufenican: Koc: 3417 Flufenacet: Koc: 202
------------	---

12.3 Bioaccumulative potential

Bioaccumulation	Diflufenican: Bioconcentration factor (BCF) 1,596 Does not bioaccumulate. Flufenacet: Bioconcentration factor (BCF) 71 Does not bioaccumulate.
------------------------	---

12.4 Mobility in soil

Mobility in soil	Diflufenican: Slightly mobile in soils Flufenacet: Moderately mobile in soils
-------------------------	--

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	--

12.6 Endocrine disrupting properties

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-------------------	---

12.7 Other adverse effects

Additional ecological information	No other effects to be mentioned.
--	-----------------------------------

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

12/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

Product	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, DIFLUFENICAN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, DIFLUFENICAN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, DIFLUFENICAN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

FIREBIRD

Version 10 / IRL
102000007948

13/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)
European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)
European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)
2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

Waste Treatment

Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information

WHO-classification: II (Moderately hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

FIREBIRD

Version 10 / IRL
102000007948

14/14

Revision Date: 11.12.2024
Print Date: 16.01.2025

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision:

The following sections have been revised: Section 3: Composition / Information on Ingredients.

Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures. Section 7: Handling and Storage. Section 8: Exposure Controls / Personal Protection. Section 6. Accidental Release Measures.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.