



MATENO DUO

Version 1 / IRL
102000034696

1/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MATENO DUO
UFI FAQ0-S078-800P-TNK5
Product code (UVP) 86190761, 89583187

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
A94 H2K7 Co. Dublin
Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to the UK)

For Medical Professionals and Members of the Public:
You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Carcinogenicity: Category 2
H351 Suspected of causing cancer.

Short-term (acute) aquatic hazard: Category 1
H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1



MATENO DUO

Version 1 / IRL
102000034696

2/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Aclonifen
- Diflufenican



Signal word: Warning

Hazard statements

H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
EUH208 Contains Aclonifen, 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

Precautionary statements

P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391 Collect spillage.
P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Aclonifen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



MATENO DUO

Version 1 / IRL
102000034696

3/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC)
Aclonifen 500 g/l, Diflufenican 100 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Aclonifen	74070-46-5 277-704-1	Skin Sens. 1A, H317 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	40.70
Diflufenican	83164-33-4 617-446-2	Aquatic Chronic 1, H410 Aquatic Acute 1, H400	8.10
Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319	>= 1.0 – < 3
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 01-2120761540-60-XXXX	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.0036 – < 0.036
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9 01-2120764691-48-XXXX	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.00015 – < 0.0015
Glycerine	56-81-5 200-289-5 01-2119471987-18-XXXX	Not classified	>= 1.0

Further information

Aclonifen	74070-46-5	M-Factor: 100 (acute), 10 (chronic)
Diflufenican	83164-33-4	M-Factor: 10,000 (acute), 1,000 (chronic)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 1 (acute), 1 (chronic)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	SCL: Skin Sens. 1A; H317: SCL >= 0.036 %
1,2-Benzisothiazol-	2634-33-5	Inhalation: ATE = 0.21 mg/l (dust/mist)



MATENO DUO

Version 1 / IRL
102000034696

4/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

3(2H)-one		
1,2-Benzisothiazol-3(2H)-one	2634-33-5	Oral: ATE = 450 mg/kg
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL $\geq$ 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL $\geq$ 0.0015 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL $\geq$ 0.6 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.



MATENO DUO

Version 1 / IRL
102000034696

5/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

Skin contact	Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.
4.2 Most important symptoms and effects, both acute and delayed	
Symptoms	No symptoms known or expected.
4.3 Indication of any immediate medical attention and special treatment needed	
Treatment	Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. When dealing with a spillage do not eat, drink or smoke.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.



MATENO DUO

Version 1 / IRL
102000034696

6/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Recover the product by pumping, suction or absorption using a dry and inert absorbent clay. Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing immediately and dispose of safely.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from frost. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)
Coex HDPE/EVOH/HDPE

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Diffufenican	83164-33-4	5.5 mg/m ³ (TWA)		OES BCS*
Glycerine (Total inhalable dust.)	56-81-5	10 mg/m ³ (TWA)	01 2020	ELV (IE)
Glycerine (Respirable dust.)	56-81-5	4 mg/m ³ (TWA)	01 2020	ELV (IE)
Acclonifen	74070-46-5	2 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls



MATENO DUO

Version 1 / IRL
102000034696

7/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures

If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	yellow
Odour	characteristic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available



MATENO DUO

Version 1 / IRL
102000034696

8/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	> 100 °C
Auto-ignition temperature	450 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	5.0 - 7.0 (100 %) (23 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Water solubility	miscible
Partition coefficient: n-octanol/water	Diflufenican: log Pow: 4.2 Aclonifen: log Pow: 4.37
Surface tension	30 mN/m (25 °C) Determined in the undiluted form. 41 mN/m (20 °C) Determined as a 0,1% solution in distilled water (1 g/l).
Vapour pressure	No data available
Density	ca. 1.23 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms.
Particle size	No data available
9.2 Other information	
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY



MATENO DUO

Version 1 / IRL
102000034696

9/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (Rat) > 2.44 mg/l Exposure time: 4 h No deaths Highest attainable concentration. Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Human skin, 3D-in vitro model) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Isolated chicken eyes) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Diflufenican: Based on available data, the classification criteria are not met.
Aclonifen: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Diflufenican did not cause specific target organ toxicity in experimental animal studies.
Aclonifen did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Aclonifen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.



MATENO DUO

Version 1 / IRL
102000034696

10/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

Acclonifen caused an increased incidence of tumours in rats in the following organ(s): Brain.

Assessment toxicity to reproduction

Diflufenican did not cause reproductive toxicity in a two-generation study in rats.

Acclonifen did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Diflufenican did not cause developmental toxicity in rats and rabbits.

Acclonifen did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 2.3 mg/l
static test; Exposure time: 96 h
Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 2.47 mg/l
Exposure time: 48 h
Test conducted with a similar formulation.

Toxicity to aquatic plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)) 3.65 µg/l
Growth rate; Exposure time: 72 h
Test conducted with a similar formulation.

ErC50 (Lemna gibba (gibbous duckweed)) 24.6 µg/l
Exposure time: 7 d
Test conducted with a similar formulation.

NOEC (Lemna gibba (gibbous duckweed)) 3.13 µg/l
Exposure time: 7 d
Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability

Diflufenican:
Not rapidly biodegradable
Acclonifen:
Not rapidly biodegradable

Koc

Diflufenican: Koc: 3417



MATENO DUO

Version 1 / IRL
102000034696

11/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

Aclonifen: Koc: 5318 - 10612

12.3 Bioaccumulative potential

Bioaccumulation Diflufenican: Bioconcentration factor (BCF) 1,596
Does not bioaccumulate.
Aclonifen: Bioconcentration factor (BCF) 2,896
Potential bioaccumulation

12.4 Mobility in soil

Mobility in soil Diflufenican: criterion of mobility not fulfilled
Aclonifen: criterion of mobility not fulfilled

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Aclonifen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Triple rinse containers.
Do not re-use empty containers.
Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product 02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number
14.2 Proper shipping name

3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.



MATENO DUO

Version 1 / IRL
102000034696

12/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

	(ACLONIFEN, DIFLUFENICAN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACLONIFEN, DIFLUFENICAN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACLONIFEN, DIFLUFENICAN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)



MATENO DUO

Version 1 / IRL
102000034696

13/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

Waste Treatment

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level



MATENO DUO

Version 1 / IRL
102000034696

14/14

Revision Date: 26.08.2026
Print Date: 26.08.2026

MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--