amended



 METTLE
 1/13

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name METTLE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd

Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan

A94 H2K7 Co. Dublin

Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to

the UK)

For Medical Professionals and Members of the Public:

You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4

H332 Harmful if inhaled. Serious eye damage: Category 1

H318 Causes serious eye damage. Short-term (acute) aquatic hazard: Category 1

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Prothioconazole

Fluoxastrobin







Signal word: Danger Hazard statements

H332 Harmful if inhaled.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

EUH208 Contains 2-[2-(1-chlorocyclopropyl)-2-hydroxy-3-phenylpropyl]-2,4-dihydro-3H-1,2,4-

triazole-3-thione. May produce an allergic reaction.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/ physician.

P410 Protect from sunlight.

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or

collection site, except for triple rinsed empty containers which can be disposed of as

non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Fluoxastrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB). 2-

Ethylhexanol propylene ethyleneglycol ether: Not applicable

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsifiable concentrate (EC) Fluoxastrobin 100 g/l; Prothioconazole 100 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]	
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008		
Fluoxastrobin	361377-29-9	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.10	
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.10	
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Acute Tox. 4, H332 Aquatic Chronic 3, H412	>= 1 - < 20	
Alkylarylpolyglycol ether	104376-75-2	Aquatic Chronic 3, H412	>= 1 - < 25	
methyl-5-(dimethylamino)- 2-methyl-5-oxopentanoate	1174627-68-9 01-2119497421-36-xxxx	Eye Irrit. 2, H319	> 10	

Further information

Fluoxastrobin	361377-29-9	M-Factor: 1 (acute), 1 (chronic)
Prothioconazole	178928-70-6	M-Factor: 10 (acute), 1 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. Get medical

attention if irritation develops and persists.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Do NOT induce vomiting. Call a physician or poison control center

immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Gastric lavage is not normally required.

However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is

no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective

authorities.

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice. Ensure

adequate ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized

persons only. Protect from frost. Keep away from direct sunlight.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fluoxastrobin	361377-29-9	0.42 mg/m3 (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

Formulated product

Respiratory protection Wear respirator with an organic vapours and gas filter mask

amended



METTLE
Version 5 / IRL
Revision Date: 11.12.2024

102000025822 Print Date: 16.01.2025

(protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Liquid, clear to slightly turbid

Colour yellow to brown

Odour aromatic

Odour Threshold

Melting point/ range

Boiling Point

Flammability

No data available

amended



METTLE 7/13 Version 5 / IRL Revision Date: 11.12.2024 102000025822 Print Date: 16.01.2025

Lower explosion limit No data available 144.5 °C (1,013 hPa), Flash point

No data available **Auto-ignition temperature**

Ignition temperature 405 °C

Self-accelarating

Viscosity, dynamic

decomposition temperature

(SADT)

4.0 - 5.5 (1 %) (23 °C) (deionized water) pН

156 mm²/s (20 °C) Shear rate of 100/sec Viscosity, kinematic

No data available

No data available

520 mm²/s (40 °C) Shear rate of 100/sec

No data available Water solubility

Partition coefficient: n-

octanol/water

Fluoxastrobin: log Pow: 2.86 (20 °C)

Prothioconazole: log Pow: 3.82 (20 °C) (pH 7) 2-Ethylhexanol propylene ethyleneglycol ether:

No data available

Surface tension 31 mN/m (25 °C)

Determined in the undiluted form.

Vapour pressure No data available 1.10 g/cm3 (20 °C) **Density** Relative density No data available Relative vapour density No data available

Assessment nano particles This substance/ mixture does not contain nanoforms

Particle size No data available

9.2 Other information

Explosivity Not explosive

Oxidizing properties No oxidizing properties **Evaporation rate** No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

•

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,500 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) 0.91 - 5.03 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Risk of serious damage to eyes. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Magnusson & Kligman test

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

Fluoxastrobin: Based on available data, the classification criteria are not met. Prothioconazole: Based on available data, the classification criteria are not met.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Fluoxastrobin did not cause specific target organ toxicity in experimental animal studies. Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment mutagenicity

Fluoxastrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

2-Ethylhexanol propylene ethyleneglycol ether is not considered mutagenic.

Assessment carcinogenicity

Fluoxastrobin was not carcinogenic in lifetime feeding studies in rats and mice. Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment toxicity to reproduction

Fluoxastrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluoxastrobin is related to parental toxicity. Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment developmental toxicity

Fluoxastrobin did not cause developmental toxicity in rats. Fluoxastrobin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Fluoxastrobin are related to maternal toxicity.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

2-Ethylhexanol propylene ethyleneglycol ether: This information is not available.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 2.19 mg/l

static test; Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 1.67 mg/l static test; Exposure

invertebrates

time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 11.5 mg/l

Growth rate; Exposure time: 72 h

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

NOEC (Raphidocelis subcapitata (freshwater green alga)) 0.096 mg/l

Growth rate; Exposure time: 72 h

ErC50 (Skeletonema costatum) 0.03278 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

12.2 Persistence and degradability

Biodegradability Fluoxastrobin:

Not rapidly biodegradable

Prothioconazole:

Not rapidly biodegradable

2-Ethylhexanol propylene ethyleneglycol ether:

Not readily biodegradable.

Koc Fluoxastrobin: Koc: 424 - 1582

Prothioconazole: Koc: 1765

2-Ethylhexanol propylene ethyleneglycol ether: No data available

12.3 Bioaccumulative potential

Bioaccumulation Fluoxastrobin: Bioconcentration factor (BCF) 52

Does not bioaccumulate.

Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

2-Ethylhexanol propylene ethyleneglycol ether:

No data available

12.4 Mobility in soil

Mobility in soil Fluoxastrobin: Slightly mobile in soils

Prothioconazole: Slightly mobile in soils

2-Ethylhexanol propylene ethyleneglycol ether: No data available

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Fluoxastrobin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

2-Ethylhexanol propylene ethyleneglycol ether: Not applicable

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Follow advice on product label and/or leaflet.

Waste key for the unused

product

02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUOXASTROBIN, PROTHIOCONAZOLE SOLUTION)

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(FLUOXASTROBIN, PROTHIOCONAZOLE SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUOXASTROBIN, PROTHIOCONAZOLE SOLUTION)

14.3 Transport hazard class(es) 9 14.4 Packing group III

14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

amended



 METTLE

 Version 5 / IRL
 Revision Date: 11.12.2024

 102000025822
 Print Date: 16.01.2025

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent ammendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

Waste Treatment

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Ag	reement concerr	nina the Inter	national Carria	ge of Dang	erous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

amended

ICx



METTLE 13/13 Version 5 / IRL Revision Date: 11.12.2024 102000025822 Print Date: 16.01.2025

ATE Acute toxicity estimate

Chemical Abstracts Service number CAS-Nr.

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

European list of notified chemical substances **ELINCS**

ELV **Exposure Limit Value** European Standard ΕN EU **European Union**

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

> Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

Lethal concentration to x % LCx

Lethal dose to x % LDx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

Organization for Economic Co-operation and Development OECD

Regulations concerning the International Carriage of Dangerous Goods by Rail RID

SI Statutory Instrument TWA Time weighted average

United Nations UN

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2020/878.

Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation. The following sections have been revised: Section 1: Chemical Product and

Company Information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.