amended



MONOLITH

Version 7 / IPI

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MONOLITH

**UFI** R7V0-M0JV-Q00W-H3SU

Product code (UVP) 80886306

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd

Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan

A94 H2K7 Co. Dublin

Ireland

**Telephone** +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to

the UK)

For Medical Professionals and Members of the Public:

You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Eye irritation: Category 2

H319 Causes serious eye irritation.
Short-term (acute) aquatic hazard: Category 1
H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

amended



 MONOLITH

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

### Hazardous components which must be listed on the label:

- Mesosulfuron-methyl
- Propoxycarbazone-sodium
- Mefenpyr-diethyl





Signal word: Warning

### **Hazard statements**

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

### **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or

collection site, except for triple rinsed empty containers which can be disposed of as

non-hazardous waste.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Propoxycarbazone-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

amended



MONOLITH 3/14

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2 Mixtures

### **Chemical nature**

Water dispersible granules (WG)

Mesosulfuron-methyl/Propoxycarbazone-sodium/Mefenpyr-diethyl 4,5:6,75:9,0 %

### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Mesosulfuron-methyl	208465-21-8	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	4.5
Propoxycarbazone- sodium	181274-15-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	6.75
Mefenpyr-diethyl	135590-91-9 603-923-2 01-2119480146-39-0000	Aquatic Chronic 2, H411	9.0
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	922-153-0 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 10 – < 25
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 1 – < 10
Kaolin	1332-58-7 310-194-1	Not classified	> 1
Silica, amorphe	7631-86-9 231-545-4 01-2119379499-16-XXXX	Not classified	> 1

### **Further information**

Mesosulfuron- methylMesosulfuron- methyl	208465-21-8	M-Factor: 100 (acute), 100 (chronic)
Propoxycarbazone- sodium	181274-15-7	M-Factor: 10 (acute), 10 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **Particle characteristics**

This substance/ mixture does not contain nanoforms

### **SECTION 4: FIRST AID MEASURES**

amended



MONOLITH 4/14 Version 7 / IRL Revision Date: 04.01.2025 102000027072 Print Date: 16.01.2025

# 4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Wash off thoroughly with plenty of soap and water, if available with Skin contact

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

> least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists,

see an ophthalmologist.

Rinse mouth. Do NOT induce vomiting. Call a physician or poison Ingestion

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

No symptoms known or expected. **Symptoms** 

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be **Treatment** 

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen chloride (HCI), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

amended



 MONOLITH

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and materials for containment and cleaning up

objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

before using again. Garments that cannot be cleaned must be

destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Mesosulfuron-methyl	208465-21-8	10 mg/m3		OES BCS*
		(TWA)		

amended

102000027072



Print Date: 16.01.2025

MONOLITH
Version 7 / IRL
Revision Date: 04.01.2025

Propoxycarbazone-sodium	181274-15-7	10 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Silica, amorphe	7631-86-9	6 mg/m3 (TWA)	01 2020	ELV (IE)
(Total inhalable dust.)				
Silica, amorphe	7631-86-9	2.4 mg/m3 (TWA)	01 2020	ELV (IE)
(Respirable dust.)		, ,		
Kaolin	1332-58-7	2.0 mg/m3 (TWA)	2011	ELV (IE)
(Respirable dust.)				
Perlite	93763-70-3	4 mg/m3 (TWA)	2016	ELV (IE)
(Respirable dust.)		` ,		
Perlite	93763-70-3	10 mg/m3 (TWA)	2016	ELV (IE)
(Total inhalable dust.)		,		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

# 8.2 Exposure controls

# Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

# Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Wear respirator with a particle filter mask (protection factor 4) conforming to European Norm EN149FFP1 or equivalent.

# **Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.

amended



 MONOLITH

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

**Form** water-dispersible granules

**Colour** beige to brown

**Odour** aromatic

Odour Threshold No data available

Melting point/ range No data available

Boiling Point No data available

**Flammability** The product is not highly flammable.

Upper explosion limitNo data availableLower explosion limitNo data availableFlash pointNo data availableAuto-ignition temperatureNo data available

Ignition temperature 368 °C

Self-accelarating decomposition temperature (SADT)

No data available

**pH** 8.0 - 10.0 (10 %) (23 °C) (deionized water)

Viscosity, dynamic No data available
Viscosity, kinematic No data available

Water solubility dispersible

Partition coefficient: n-octanol/water

Mesosulfuron-methyl: log Pow: -0.48

Propoxycarbazone-sodium: log Pow: -1.55 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)

Vapour pressure

Density

No data available

No data available

Relative density

No data available

amended



 MONOLITH

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

**Bulk density** 598 - 702 kg/m3 **Relative vapour density** No data available

Assessment nano particles This substance/ mixture does not contain nanoforms

This substance/ mixture contains nanoforms (according to REACH

Regulation)

**Dust content** nearly dust-free

9.2 Other information

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

Oxidizing properties No oxidizing properties

**Evaporation rate** No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 0.995 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Test conducted with a similar formulation.

amended



 MONOLITH
 9/14

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

**Skin corrosion/irritation** No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye Severe eye irritation. (Rabbit)

**irritation** Test conducted with a similar formulation.

Respiratory or skin Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

### Assessment STOT Specific target organ toxicity - single exposure

Mesosulfuron-methyl: Based on available data, the classification criteria are not met. Propoxycarbazone-sodium: Based on available data, the classification criteria are not met. Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

# Assessment STOT Specific target organ toxicity - repeated exposure

Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. Propoxycarbazone-sodium did not cause specific target organ toxicity in experimental animal studies. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

# **Assessment mutagenicity**

Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Propoxycarbazone-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice. Propoxycarbazone-sodium was not carcinogenic in lifetime feeding studies in rats and mice. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats. Propoxycarbazone-sodium did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits. Propoxycarbazone-sodium did not cause developmental toxicity in rats. Propoxycarbazone-sodium caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Propoxycarbazone-sodium are related to maternal toxicity. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

amended



 MONOLITH

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 7.6 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 8.8 mg/l

**invertebrates** Exposure time: 48 h

Test conducted with a similar formulation.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 3.88 mg/l

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

IC50 (Lemna gibba (gibbous duckweed)) 0.0201 mg/l

Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

**Biodegradability** Mesosulfuron-methyl:

Not rapidly biodegradable Propoxycarbazone-sodium: Not rapidly biodegradable

Mefenpyr-diethyl:

Not rapidly biodegradable

**Koc** Mesosulfuron-methyl: Koc: 92

Propoxycarbazone-sodium: Koc: 29

Mefenpyr-diethyl: Koc: 625

12.3 Bioaccumulative potential

**Bioaccumulation** Mesosulfuron-methyl:

Does not bioaccumulate. Propoxycarbazone-sodium: Does not bioaccumulate.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Mesosulfuron-methyl: Moderately mobile in soils

Propoxycarbazone-sodium: Mobile in soils Mefenpyr-diethyl: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Mesosulfuron-methyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Propoxycarbazone-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent,

amended



MONOLITH
Version 7 / IRL
Revision Date: 04.01.2025

102000027072 Print Date: 16.01.2025

bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No further ecological information is available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Follow advice on product label and/or leaflet.

Waste key for the unused

product

02 01 08\* agrochemical waste containing hazardous substances

### **SECTION 14: TRANSPORT INFORMATION**

# ADR/RID/ADN

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MESOSULFURON-METHYL SODIUM SALT, PROPOXYCARBAZONE-SODIUM MIXTURE)

14.3 Transport hazard class(es) 9 14.4 Packing group III

14.5 Environm. Hazardous Mark YES Hazard no. 90 Tunnel Code -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

#### **IMDG**

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

amended



MONOLITH 12/14

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

(MESOSULFURON-METHYL SODIUM SALT, PROPOXYCARBAZONE-SODIUM MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

#### **IATA**

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MESOSULFURON-METHYL SODIUM SALT, PROPOXYCARBAZONE-SODIUM MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Republic of Ireland Regulations**

This material may be subject to some or all of the following regulations (and any subsequent ammendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

# Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

# **Waste Treatment**

**Landfill Directive** 

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

# **Further information**

WHO-classification: III (Slightly hazardous)

# 15.2 Chemical safety assessment

amended



 MONOLITH

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

A chemical safety assessment is not required.

### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

ELV Exposure Limit Value
EN European Standard
EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)
Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

**IC**x

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required



MONOLITH 14/14

 Version 7 / IRL
 Revision Date: 04.01.2025

 102000027072
 Print Date: 16.01.2025

information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** The following sections have been revised: Section 3: Composition /

Information on Ingredients. Section 14: Transport Information.

The following sections have been revised: Section 2: Hazards

Identification.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.