amended



NATIVO 75WG

Version 4 / IRL Revision Date: 11.12.2024 102000011273 Print Date: 16.01.2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name NATIVO 75WG

**UFI** M3C0-F0T8-400U-5X7Q **Product code (UVP)** 06418015, 86196042

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd

Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan

A94 H2K7 Co. Dublin

Ireland

**Telephone** +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to

the UK)

For Medical Professionals and Members of the Public:

You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Reproductive toxicity: Category 2

H361d Suspected of damaging the unborn child.

Effects on or via lactation:

amended



NATIVO 75WG

Version 4 / IRL Revision Date: 11.12.2024 102000011273 Print Date: 16.01.2025

H362 May cause harm to breast-fed children.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

#### Hazardous components which must be listed on the label:

- Tebuconazole
- Trifloxystrobin







Signal word: Warning Hazard statements

H319 Causes serious eve irritation.

H361d Suspected of damaging the unborn child. H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

EUH208 Contains Trifloxystrobin. May produce an allergic reaction.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or

collection site, except for triple rinsed empty containers which can be disposed of as

non-hazardous waste.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

amended



3/13

**NATIVO 75WG** 

 Version 4 / IRL
 Revision Date: 11.12.2024

 102000011273
 Print Date: 16.01.2025

Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

#### **Chemical nature**

Water dispersible granules (WG)
Trifloxystrobin/Tebuconazole 25:50 % w/w

#### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Lact. H362 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	25.00
Tebuconazole	107534-96-3 403-640-2	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	50.00
Alkylaryl sulfonate	91078-64-7 293-346-9 01-2119985167-25-XXXX	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 1.00 - < 25.00
Methylene-linked condensation product of arylsulphonic, sodium salts	90387-57-8 291-331-1	Aquatic Chronic 3, H412	> 1.00 - < 25.00
Kaolin	1332-58-7 310-194-1	Not classified	> 1.00
Crystalline quartz (respirable)	14808-60-7 238-878-4		< 1

#### **Further information**

Trifloxystrobin	141517-21-7	M-Factor: 100 (acute), 10 (chronic)
Tebuconazole	107534-96-3	M-Factor: 1 (acute), 10 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **Particle characteristics**

This substance/ mixture does not contain nanoforms

#### **SECTION 4: FIRST AID MEASURES**

amended



 NATIVO 75WG

 Version 4 / IRL
 Revision Date: 11.12.2024

 102000011273
 Print Date: 16.01.2025

#### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride

(HCI), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride,

Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-

contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

amended



NATIVO 75WG 5/13

Version 4 / IRL Revision Date: 11.12.2024 102000011273 Print Date: 16.01.2025

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective

authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Use mechanical handling equipment. Clean contaminated floors and

objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Aluminium composite film (min. 0,007 mm Aluminium)

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m3 (SK-SEN)		OES BCS*
Kaolin	1332-58-7	2.0 mg/m3	2011	ELV (IE)

amended



NATIVO 75WG

Version 4 / IRI

Pavision Date: 11 12 2024

Version 4 / IRL Revision Date: 11.12.2024 102000011273 Print Date: 16.01.2025

	(TWA)	
(Respirable dust.)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

#### Personal protective equipment

Formulated product

**Respiratory protection** Wear respirator with a particle filter mask (protection factor 4)

conforming to European Norm EN149FFP1 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be a second of the contamination of the contaminated of the contamination of the contamination

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 5 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

**Form** water-dispersible granules

Colourwhite to light beigeOdourweak, characteristicOdour ThresholdNo data availableMelting point/ rangeNo data available

amended



**NATIVO 75WG** 7/13

Version 4 / IRL Revision Date: 11.12.2024 102000011273 Print Date: 16.01.2025

**Boiling Point** No data available

**Flammability** The product is not highly flammable.

**Upper explosion limit** No data available Lower explosion limit No data available Flash point No data available No data available **Auto-ignition temperature** 

280 °C Ignition temperature

Self-accelarating

decomposition temperature

(SADT)

рΗ 7.0 - 9.0 (1 %) (23 °C) (deionized water)

No data available

Viscosity, dynamic No data available Viscosity, kinematic No data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

Tebuconazole: log Pow: 3.7

Trifloxystrobin: log Pow: 4.5 (25 °C)

Vapour pressure No data available **Density** No data available Relative density No data available

**Bulk density** ca. 0.55 g/ml (bulk density tapped)

Relative vapour density No data available

This substance/ mixture does not contain nanoforms Assessment nano particles

9.2 Other information

Impact sensitivity Not impact sensitive.

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**Oxidizing properties** No oxidizing properties

**Evaporation rate** No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY** 

amended



NATIVO 75WG

 Version 4 / IRL
 Revision Date: 11.12.2024

 102000011273
 Print Date: 16.01.2025

**10.1 Reactivity** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of**No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

decomposition products

10.6 Hazardous

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) >= 5,000 mg/kg

Acute inhalation toxicity

Not relevant because of low dust formation.

No decomposition products expected under normal conditions of use.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye Irritating to eyes. (Rabbit)

irritation

**Respiratory or skin** Skin: Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Magnusson & Kligman test

#### Assessment STOT Specific target organ toxicity - single exposure

Tebuconazole: Based on available data, the classification criteria are not met. Trifloxystrobin: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies. Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

#### **Assessment mutagenicity**

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

amended



**NATIVO 75WG**Version 4 / IRL

Revision Date: 11.12.2024

102000011273 Revision Date: 11.12.2024 Print Date: 16.01.2025

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

#### Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Assessment** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.064 mg/l

Exposure time: 96 h

Toxicity to aquatic

invertebrates

LC50 (Daphnia magna (Water flea)) 0.0138 mg/l

Exposure time: 48 h

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Chronic toxicity to aquatic

invertebrates

NOEC (Daphnia (water flea)): 0.010 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient tebuconazole.

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) > 0.150 mg/l

Growth rate; Exposure time: 72 h

(Lemna gibba (gibbous duckweed)) 0.237 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient tebuconazole.

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

#### 12.2 Persistence and degradability

**Biodegradability** Tebuconazole:

Not rapidly biodegradable

amended



NATIVO 75WG

 Version 4 / IRL
 Revision Date: 11.12.2024

 102000011273
 Print Date: 16.01.2025

Trifloxystrobin:

Not rapidly biodegradable

**Koc** Tebuconazole: Koc: 769

Trifloxystrobin: Koc: 2377

12.3 Bioaccumulative potential

**Bioaccumulation** Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate.

Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Tebuconazole: Slightly mobile in soils

Trifloxystrobin: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Tebuconazole: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Trifloxystrobin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.

amended



NATIVO 75WG

Version 4 / IRL Revision Date: 11.12.2024 102000011273 Print Date: 16.01.2025

Waste key for the unused

02 01 08\* agrochemical waste containing hazardous substances

product

#### **SECTION 14: TRANSPORT INFORMATION**

ADR/RID/ADN

14.1 UN number

14.2 Proper shipping name

3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
Hazard no.
700
Tunnel Code
9
9
111
9
125
9
127
9
128
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
129
9
12

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG** 

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

**IATA** 

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TEBUCONAZOLE, TRIFLOXYSTROBIN MIXTURE)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
YES

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

#### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Republic of Ireland Regulations**

This material may be subject to some or all of the following regulations (and any subsequent

amended



NATIVO 75WG

Version 4 / IRL Revision Date: 11.12.2024 102000011273 Print Date: 16.01.2025

ammendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

#### **Waste Treatment**

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

#### **Further information**

WHO-classification: III (Slightly hazardous)

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

#### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H302 Harmful if swallowed.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H332 Harmful if inhaled.  H361d Suspected of damaging the unborn child.  H362 May cause harm to breast-fed children.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.
---

#### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

ELV Exposure Limit Value
EN European Standard
EU European Union

amended



 NATIVO 75WG

 Version 4 / IRL
 Revision Date: 11.12.2024

 102000011273
 Print Date: 16.01.2025

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** Safety Data Sheet according to Regulation (EU) No. 2020/878.

Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.