



## OXYTRIL CM

Version 6 / IRL  
102000011943

1/11  
Revision Date: 21.10.2014  
Print Date: 21.10.2014

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name OXYTRIL CM  
Product code (UVP) 06455549

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

#### 1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd  
Bayer Ltd  
The Atrium, Blackthorn Road  
Sandyford  
Dublin 18  
Ireland

Telephone +353-1-2999313

Responsible Department Email: [ukinfo@bayercropscience.com](mailto:ukinfo@bayercropscience.com)

#### 1.4 Emergency telephone no.

Emergency telephone no. 1800-409-399

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4

H302 Harmful if swallowed.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Skin irritation: Category 2

H315 Causes skin irritation.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Specific target organ toxicity - single exposure: Category 3

H336 May cause drowsiness or dizziness.

Reproductive toxicity: Category 2

H361d Suspected of damaging the unborn child.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**

Xn Harmful, R22



## OXYTRIL CM

Version 6 / IRL  
102000011943

2/11  
Revision Date: 21.10.2014  
Print Date: 21.10.2014

Xi Irritant, R36/38  
Xi Irritant, R43  
N Dangerous for the environment, R50/53  
Xn Harmful, R63  
Xn Harmful, R65  
R67

### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.



Signal word: Danger

#### Hazard statements

H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H361d Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
P501 Dispose of contents/container to a licensed waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

No other hazards known.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Emulsifiable concentrate (EC)  
Bromoxynil/loxynil 200:200 g/l

#### Hazardous components

R-phrases according to EC directive 67/548/EEC  
Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive	Regulation (EC) No	

**OXYTRIL CM**Version 6 / IRL  
102000011943

3/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014

		<b>67/548/EEC</b>	<b>1272/2008</b>	
Bromoxynil octanoate	1689-99-2 216-885-3	Repr.Cat.3 R63 T; R23 Xn; R22 R43 N; R50/53	Repr. 2, H361d Acute Tox. 3, H331 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	25.10
loxynil octanoate	3861-47-0 223-375-4	Repr.Cat.3 R63 T; R25 Xi; R36 R43 N; R50/53	Repr. 2, H361d Acute Tox. 3, H301 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	23.10
Branched calcium dodecyl benzene sulfonate	68953-96-8 273-234-6	Xi; R38, R41 N; R51/53	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	> 1.00 – < 5.00
2-Methylpropan-1-ol	78-83-1 201-148-0	R10 Xi; R37/38, R41 R67	Flam. Liq. 3, H226 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336	> 1.00 – < 5.00
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5 265-198-5	Xn; R65 R66 R67 N; R51/53	Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411	> 20.00

**Further information**

Bromoxynil octanoate	1689-99-2	M-Factor: 10 (acute)
loxynil octanoate	3861-47-0	M-Factor: 10 (acute)

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move the victim to fresh air and keep at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.
<b>Eye contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Keep patient warm and at rest. Risk of product entering the lungs on vomiting after ingestion. Call a physician or poison control center immediately.



## OXYTRIL CM

Version 6 / IRL  
102000011943

4/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** Local: Sensitisation, The product causes irritation of eyes, skin and mucous membranes.  
Systemic: Tiredness, Thirst, Sweating, Anxiety, Hyperventilation, Tachycardia, Muscle rigidity, Hyperthermia

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Local treatment: Initial treatment: symptomatic.  
Systemic treatment: Initial treatment: symptomatic. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. In case of hyperthermia physical cooling is advisable; in case of muscle rigidity muscle relaxants and mechanical ventilation may support in counteracting hyperthermia. There is no specific antidote.

---

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

### 5.3 Advice for firefighters

**Special protective equipment for fire-fighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.  
**Further information** Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.

**OXYTRIL CM**Version 6 / IRL  
102000011943

5/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014

<b>Additional advice</b>	Check also for any local site procedures.
<b>6.4 Reference to other sections</b>	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
<b>Advice on protection against fire and explosion</b>	Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment.
<b>Hygiene measures</b>	When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

**7.2 Conditions for safe storage, including any incompatibilities**

<b>Requirements for storage areas and containers</b>	Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from freezing. Keep away from direct sunlight.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	Coex EVOH (1000L IBC)
<b>7.3 Specific end uses</b>	Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Bromoxynil octanoate	1689-99-2	0.21 mg/m <sup>3</sup> (TWA)		OES BCS*
loxylin octanoate	3861-47-0	0.21 mg/m <sup>3</sup> (TWA)		OES BCS*
2-Methylpropan-1-ol	78-83-1	150 mg/m <sup>3</sup> /50 ppm (TWA)	2011	ELV (IE)
2-Methylpropan-1-ol	78-83-1	225 mg/m <sup>3</sup> /75 ppm (STEL)	2011	ELV (IE)

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Additional advice**Observe: Exposure Limits In Air, Group 3: 100 mg/m<sup>3</sup>/ 20 ppm. (aromatic-rich hydrocarbon mixes with > 25% aromatics TRGS 901, No. 72).

**OXYTRIL CM**Version 6 / IRL  
102000011943

6/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	liquid, clear
<b>Colour</b>	brown
<b>Odour</b>	aromatic
<b>pH</b>	3.0 - 5.0 at 1 % (23 °C) (deionized water)
<b>Flash point</b>	61 °C
<b>Ignition temperature</b>	510 °C
<b>Upper explosion limit</b>	7.00 %(V) The data refer to solvent naphtha petroleum.
<b>Lower explosion limit</b>	0.8 %(V) The data refer to solvent naphtha petroleum.
<b>Relative vapour density</b>	1.00 The data refer to solvent naphtha petroleum.
<b>Density</b>	ca. 1.15 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-</b>	Bromoxynil octanoate: log Pow: 5.4

**OXYTRIL CM**Version 6 / IRL  
102000011943

7/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014**octanol/water**

<b>Viscosity, kinematic</b>	4.05 mm <sup>2</sup> /s at 40 °C
<b>Surface tension</b>	33 mN/m
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

<b>Acute oral toxicity</b>	LD50 (rat) 500 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (rat) > 5.06 mg/l Exposure time: 4 h Test conducted with a similar formulation.
<b>Acute dermal toxicity</b>	LD50 (rat) > 4,000 mg/kg
<b>Skin irritation</b>	Irritating to skin. (rabbit)
<b>Eye irritation</b>	Irritating to eyes. (rabbit)
<b>Sensitisation</b>	Sensitising (mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment repeated dose toxicity**

Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): liver. The observed effects do not appear to be relevant for humans.  
loxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): blood, liver. The observed effects do not appear to be relevant for humans.

**Assessment Mutagenicity**

Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.  
loxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**OXYTRIL CM**Version 6 / IRL  
102000011943

8/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014**Assessment Carcinogenicity**

Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): liver. The mechanism of tumour formation is not considered to be relevant to man.

loxylnil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): thyroid, liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

**Assessment toxicity to reproduction**

Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats. loxylnil octanoate was not a reproductive toxicant at non-maternally toxic dose levels in a two-generation study in rats. loxylnil octanoate caused a reduced litter size and a reduced pup weight. The reproduction toxicity seen with loxylnil octanoate is related to parental toxicity.

**Assessment developmental toxicity**

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.

loxylnil octanoate caused developmental toxicity only at dose levels toxic to the dams. loxylnil octanoate caused a delayed ossification of foetuses. The developmental effects seen with loxylnil octanoate are related to maternal toxicity.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.11 mg/l Exposure time: 96 h Test conducted with a similar formulation.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Water flea (Daphnia magna)) 0.018 mg/l Exposure time: 48 h Test conducted with a similar formulation.
<b>Toxicity to aquatic plants</b>	EC50 (Navicula pelliculosa) 0.043 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient bromoxynil octanoate.  EC50 (Lemna gibba (duckweed)) 0.073 mg/l The value mentioned relates to the active ingredient bromoxynil octanoate.  EC50 (Navicula pelliculosa) 0.24 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient ioxynil-octanoate.  EC50 (Lemna gibba (duckweed)) 0.027 mg/l The value mentioned relates to the active ingredient ioxynil-octanoate.

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Bromoxynil octanoate: not rapidly biodegradable loxylnil: not rapidly biodegradable
<b>Koc</b>	Bromoxynil octanoate: Koc: 639 loxylnil: Koc: 339



**OXYTRIL CM**Version 6 / IRL  
102000011943

9/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014**12.3 Bioaccumulative potential**

**Bioaccumulation** Bromoxynil octanoate: Bioconcentration factor (BCF) 230  
Does not bioaccumulate.  
Ioxynil: Bioconcentration factor (BCF) 21  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Bromoxynil octanoate: Slightly mobile in soils  
Ioxynil: Moderately mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Bromoxynil octanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Ioxynil: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

**Product** It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

**Contaminated packaging** Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Follow advice on product label and/or leaflet.

**Waste key for the unused product** **020108** agrochemical waste containing dangerous substances

**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, IOXYNIL SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.



## OXYTRIL CM

Version 6 / IRL  
102000011943

10/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014

### IMDG

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, IOXYNIL SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

### IATA

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, IOXYNIL SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)  
European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)  
European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)  
2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

#### Waste Treatment

Landfill Directive  
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

#### Further information

WHO-classification: II (Moderately hazardous)

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

**OXYTRIL CM**Version 6 / IRL  
102000011943

11/11

Revision Date: 21.10.2014  
Print Date: 21.10.2014**SECTION 16: OTHER INFORMATION****Text of R-phrases mentioned in Section 3**

R10	Flammable.
R22	Harmful if swallowed.
R23	Toxic by inhalation.
R25	Toxic if swallowed.
R36	Irritating to eyes.
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R63	Possible risk of harm to the unborn child.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

**Text of the hazard statements mentioned in Section 3**

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 453/2010 amending Regulation (EU) No 1907/2006 (and any subsequent amendments). This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.