



## **PACIFICA PLUS**

Version 5 / IRL  
102000020526

1/15  
Revision Date: 17.12.2024  
Print Date: 17.03.2025

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

**Trade name** PACIFICA PLUS  
**UFI** PQU0-K0EG-V00X-J29F  
**Product code (UVP)** 80008880

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Herbicide

#### **1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer CropScience Ltd  
Bayer Ltd  
1st Floor, The Grange Offices  
The Grange, Brewery Road  
Stillorgan  
A94 H2K7 Co. Dublin  
Ireland

**Telephone** +353 1 216 3300

**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

#### **1.4 Emergency telephone no.**

**Emergency telephone no.** +44 330 678 3382 (24 hr) (charged as a standard international call to the UK)

For Medical Professionals and Members of the Public:  
You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

---

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Serious eye damage: Category 1  
H318 Causes serious eye damage.

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Short-term (acute) aquatic hazard: Category 1



## PACIFICA PLUS

Version 5 / IRL  
102000020526

2/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Amidosulfuron-sodium
- Iodosulfuron-methyl-sodium
- Mesosulfuron-methyl, sodium salt
- Mefenpyr-diethyl



**Signal word:** Danger

### Hazard statements

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P310 Immediately call a POISON CENTER/doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-

methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic

(PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f)



## PACIFICA PLUS

Version 5 / IRL  
102000020526

3/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Water dispersible granules (WG)

Amidosulfuron/Iodosulfuron-methyl -sodium/Mesosulfuron -methyl/Mefenpyr-diethyl 5,0:1,0:3,0:9,0 %

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Amidosulfuron-sodium	596120-00-2 01-0000019399-56-0000	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	5.3
Iodosulfuron-methyl-sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1
Mesosulfuron-methyl, sodium salt	208465-19-4 606-652-8 01-2121007338-60-0000	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3.1
Mefenpyr-diethyl	135590-91-9 603-923-2 01-2119480146-39-0000	Aquatic Chronic 2, H411	9
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5 265-198-5 01-2119451097-39-XXXX	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 10 – < 25
Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 0.5 – < 5
Aromatic hydrocarbons, C10-13, reaction products with branched nonene, sulfonated, sodium salts	1258274-08-6 01-2119980591-31-xxxx	Skin Irrit. 2, H315 Eye Dam. 1, H318	> 0.1 – < 5
Docusate sodium	577-11-7 209-406-4 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 0.1 – < 0.5
Kaolin	1332-58-7 310-194-1	Not classified	> 15 – < 30
Diacetone alcohol	123-42-2 204-626-7	Flam. Liq. 3, H226 STOT SE 3, H335 Eye Irrit. 2, H319	< 0.1



## PACIFICA PLUS

Version 5 / IRL  
102000020526

4/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

Amorphous silica	63231-67-4 231-545-4	Not classified	
Naphthalene	91-20-3 202-049-5	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 4, H302	$\geq 0.1 - < 0.5$
Calcium dodecylbenzenesulphonate	26264-06-2 247-557-8 01-2119560592-37-XXXX	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	$> 1 - < 5$

### Further information

Iodosulfuron-methyl-sodium	144550-36-7	M-Factor: 1,000 (acute)
Mesosulfuron-methyl, sodium salt	208465-19-4	M-Factor: 100 (acute), 100 (chronic)

Substances for which there are Community workplace exposure limits:  
Naphthalene (91-20-3)

For the full text of the H-Statements mentioned in this Section, see Section 16.

### Particle characteristics

This substance/ mixture does not contain nanoforms

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. When symptoms develop and persist, seek medical advice.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed



## **PACIFICA PLUS**

Version 5 / IRL  
102000020526

5/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

<b>Treatment</b>	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.
------------------	---

---

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

<b>Suitable</b>	Water spray, Carbon dioxide (CO <sub>2</sub> ), Foam, Sand
<b>Unsuitable</b>	High volume water jet

<b>5.2 Special hazards arising from the substance or mixture</b>	In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Nitrogen oxides (NO <sub>x</sub> ), Sulphur oxides, Hydrogen iodide (HI)
--	--

### **5.3 Advice for firefighters**

<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
--	--

<b>Further information</b>	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

---

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

<b>Precautions</b>	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.
--------------------------------------	--

### **6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Use mechanical handling equipment. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
--------------------------------	---

<b>Additional advice</b>	Check also for any local site procedures.
--------------------------	---

<b>6.4 Reference to other sections</b>	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

---

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**



## PACIFICA PLUS

Version 5 / IRL  
102000020526

6/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation.
<b>Advice on protection against fire and explosion</b>	Keep away from heat and sources of ignition.
<b>Hygiene measures</b>	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	
<b>Requirements for storage areas and containers</b>	Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	Cylindrical bottles 0.25 – 1 L : COEXEV/COEXPA Aluminium composite film (min. 0,007 mm Aluminium)
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m <sup>3</sup> (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m <sup>3</sup> (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m <sup>3</sup> (TWA)		OES BCS*
Kaolin (Respirable dust.)	1332-58-7	2.0 mg/m <sup>3</sup> (TWA)	2011	ELV (IE)
Synthetic amorphous silica (Total inhalable dust.)	112926-00-8	6 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Synthetic amorphous silica (Respirable dust.)	112926-00-8	2.4 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Synthetic amorphous silica (Total inhalable dust.)	112926-00-8	10 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Synthetic amorphous silica (Respirable dust.)	112926-00-8	4 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m <sup>3</sup> (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m <sup>3</sup> (TWA)		OES BCS*



# PACIFICA PLUS

Version 5 / IRL  
102000020526

7/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

Mefenpyr-diethyl	135590-91-9	10 mg/m <sup>3</sup> (TWA)		OES BCS*
Amorphous silica (Respirable dust.)	63231-67-4	2.4 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Amorphous silica (Total inhalable dust.)	63231-67-4	6 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Amorphous silica (Respirable dust.)	63231-67-4	4 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Amorphous silica (Total inhalable dust.)	63231-67-4	10 mg/m <sup>3</sup> (TWA)	01 2020	ELV (IE)
Kaolin (Respirable dust.)	1332-58-7	2.0 mg/m <sup>3</sup> (TWA)	2011	ELV (IE)
Diacetone alcohol	123-42-2	240 mg/m <sup>3</sup> /50 ppm (TWA)	2007	ELV (IE)

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## 8.2 Exposure controls

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

Wear respirator with a particle filter mask (protection factor 4) conforming to European Norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.  
Material Nitrile rubber  
Break through time > 480 min  
Glove thickness > 0.4 mm  
Protective index Class 6  
Directive Protective gloves complying with EN 374.

#### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).

#### Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.



## PACIFICA PLUS

Version 5 / IRL  
102000020526

8/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	water-dispersible granules
<b>Colour</b>	beige to brown
<b>Odour</b>	aromatic
<b>Odour Threshold</b>	No data available
<b>Melting point/ range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flammability</b>	The product is not highly flammable.
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Flash point</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Ignition temperature</b>	270 °C
<b>Minimum ignition energy</b>	100 - 300 mJ
<b>Thermal decomposition</b>	120 °C Heating rate:3 K/min Decomposition energy:10 kJ/kg,
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	7.5 - 9.5 (10 %) (23 °C) (deionized water)
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Amidosulfuron: log Pow: -1.56 (22 °C) (pH 7)  Iodosulfuron-methyl-sodium: log Pow: -0.7 Mesosulfuron-methyl: log Pow: -0.48 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
<b>Vapour pressure</b>	No data available





## PACIFICA PLUS

Version 5 / IRL  
102000020526

9/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

Density	No data available
Relative density	No data available
Bulk density	0.637 - 0.747 g/ml (loose)
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms

### 9.2 Other information

Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Strong oxidizing agents, Strong reducing agents, Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	Inhalation is no relevant route of exposure for this formulation. No volatility, no aerosols under normal conditions.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye	Risk of serious damage to eyes. (Rabbit)



## **PACIFICA PLUS**

Version 5 / IRL  
102000020526

10/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

### **irritation**

#### **Respiratory or skin sensitisation**

Skin: Sensitising (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)

#### **Assessment STOT Specific target organ toxicity – single exposure**

Amidosulfuron: Based on available data, the classification criteria are not met.  
Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.  
Mesosulfuron-methyl: Based on available data, the classification criteria are not met.  
Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

#### **Assessment STOT Specific target organ toxicity – repeated exposure**

Amidosulfuron did not cause specific target organ toxicity in experimental animal studies.  
Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.  
Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.  
Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

#### **Assessment mutagenicity**

Amidosulfuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### **Assessment carcinogenicity**

Amidosulfuron was not carcinogenic in lifetime feeding studies in rats and mice.  
Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.  
Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.  
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### **Assessment toxicity to reproduction**

Amidosulfuron did not cause reproductive toxicity in a two-generation study in rats.  
Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.  
Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.  
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

#### **Assessment developmental toxicity**

Amidosulfuron did not cause developmental toxicity in rats and rabbits.  
Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.  
Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits.  
Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

No further toxicological information is available.

### **11.2 Information on other hazards**

#### **Endocrine disrupting properties**

##### **Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



## PACIFICA PLUS

Version 5 / IRL  
102000020526

11/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 11.5 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 15 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 5.6 mg/l Growth rate; Exposure time: 72 h ErC50 (Lemna gibba (gibbous duckweed)) 0.0199 mg/l Growth rate; Exposure time: 7 d

#### 12.2 Persistence and degradability

<b>Biodegradability</b>	Amidosulfuron: Not rapidly biodegradable Iodosulfuron-methyl-sodium: Not rapidly biodegradable Mesosulfuron-methyl: Not rapidly biodegradable Mefenpyr-diethyl: Not rapidly biodegradable
<b>Koc</b>	Amidosulfuron: Koc: 36 Iodosulfuron-methyl-sodium: Koc: 45 Mesosulfuron-methyl: Koc: 347; log Koc: 2.54 Mefenpyr-diethyl: Koc: 625

#### 12.3 Bioaccumulative potential

<b>Bioaccumulation</b>	Amidosulfuron: Does not bioaccumulate. Iodosulfuron-methyl-sodium: Does not bioaccumulate. Mesosulfuron-methyl: On the basis of the partition coefficient n-octanol/water (log pOW) no accumulation in organisms is expected. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate.
------------------------	--

#### 12.4 Mobility in soil

<b>Mobility in soil</b>	Amidosulfuron: Mobile in soils Iodosulfuron-methyl-sodium: Mobile in soils Mesosulfuron-methyl: Moderately mobile in soils Mefenpyr-diethyl: Slightly mobile in soils
-------------------------	--

#### 12.5 Results of PBT and vPvB assessment

<b>PBT and vPvB assessment</b>	Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be
--------------------------------	---



## PACIFICA PLUS

Version 5 / IRL  
102000020526

12/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

very persistent and very bioaccumulative (vPvB).  
Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

**Contaminated packaging** Triple rinse containers.  
Do not re-use empty containers.  
Not completely emptied packagings should be disposed of as hazardous waste.

**Contaminated packaging** Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Follow advice on product label and/or leaflet.

**Waste key for the unused product** 02 01 08\* agrochemical waste containing hazardous substances

## SECTION 14: TRANSPORT INFORMATION

### ADR/RID/ADN

14.1 UN number  
14.2 Proper shipping name

**3077**  
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.



## PACIFICA PLUS

Version 5 / IRL  
102000020526

13/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

	(IODOSULFURON-METHYL-SODIUM, MESOSULFURON-METHYL-SODIUM)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### IMDG

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL-SODIUM, MESOSULFURON-METHYL-SODIUM)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

### IATA

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL-SODIUM, MESOSULFURON-METHYL-SODIUM )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products)  
Regulations 1981 (SI No 320/1981)  
European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection



## PACIFICA PLUS

Version 5 / IRL  
102000020526

14/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

Products) Regulations 2003 (SI No 83/2003)  
European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001)  
2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

### Waste Treatment

Landfill Directive  
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

### Further information

WHO-classification: III (Slightly hazardous)

### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

---

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
ELV	Exposure Limit Value
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %



## PACIFICA PLUS

Version 5 / IRL  
102000020526

15/15

Revision Date: 17.12.2024  
Print Date: 17.03.2025

IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** The following sections have been revised: Section 14: Transport Information.

The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--