

1/15

PACIFICA PLUS

Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PACIFICA PLUS

**UFI** PQU0-K0EG-V00X-J29F

Product code (UVP) 80008880

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd

Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan

A94 H2K7 Co. Dublin

Ireland

**Telephone** +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr) (not available on non-contract mobile phones)

For Medical Professionals: You can also contact Dublin NPIS.

For Members of the Public: You can also contact 01 809 2166 (for Republic of Ireland).

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.



**PACIFICA PLUS** 

2/15 Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

#### Hazardous components which must be listed on the label:

- Amidosulfuron-sodium
- lodosulfuron-methyl-sodium
- Mesosulfuron-methyl, sodium salt
- Mefenpyr-diethyl







Signal word: Danger **Hazard statements** 

H317 May cause an allergic skin reaction.

Causes serious eye damage. H318

H410 Very toxic to aquatic life with long lasting effects.

To avoid risks to human health and the environment, comply with the instructions for EUH401

use.

#### **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if P305 + P351

+ P338 present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. Immediately call a POISON CENTER/doctor/ physician. P310

Collect spillage. P391

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or

collection site, except for triple rinsed empty containers which can be disposed of as

non-hazardous waste.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuronmethyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

> have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to



3/15

## **PACIFICA PLUS**

 Version 5 / IRL
 Revision Date: 20.03.2023

 102000020526
 Print Date: 20.03.2023

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

#### **Chemical nature**

Water dispersible granules (WG)

Amidosulfuron/lodosulfuron-methyl -sodium/Mesosulfuron -methyl/Mefenpyr-diethyl 5,0:1,0:3,0:9,0 %

#### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	<b>Conc.</b> [%]	
Amidosulfuron-sodium	596120-00-2 01-0000019399-56-0000	Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
lodosulfuron-methyl- sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1	
Mesosulfuron-methyl, sodium salt	208465-19-4	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3.1	
Mefenpyr-diethyl	135590-91-9 603-923-2 01-2119480146-39-0000	Aquatic Chronic 2, H411	9	
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5 265-198-5 01-2119451097-39-XXXX	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 10 – < 25	
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 0.5 – < 5	
Aromatic hydrocarbons, C10-13, reaction products with branched nonene, sulfonated, sodium salts	1258274-08-6 01-2119980591-31-xxxx	Skin Irrit. 2, H315 Eye Dam. 1, H318	> 0.1 - < 5	
Docusate sodium	577-11-7 209-406-4 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 0.1 – < 0.5	
Kaolin	1332-58-7 310-194-1	Not classified	> 15 - < 30	
Diacetone alcohol	123-42-2 204-626-7	Flam. Liq. 3, H226 STOT SE 3, H335 Eye Irrit. 2, H319	< 0.1	
Amorphous silica	63231-67-4 231-545-4	Not classified		
Naphthalene 91-20-3 202-049-5		Carc. 2, H351 Aquatic Chronic 1, H410 Acute Tox. 4, H302	>= 0.1 - < 0.5	



4/15

## **PACIFICA PLUS**

Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

		Aquatic Acute 1, H400	
Calcium	26264-06-2	Skin Irrit. 2, H315	> 1 – < 5
dodecylbenzenesulphonat	247-557-8	Eye Dam. 1, H318	
е	01-2119560592-37-XXXX	Aquatic Chronic 3, H412	

#### **Further information**

lodosulfuron-methyl-	144550-36-7	M-Factor: 1,000 (acute)
sodium		
Mesosulfuron-methyl,	208465-19-4	M-Factor: 1,000 (acute)

Substances for which there are Community workplace exposure limits: Naphthalene (91-20-3)

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Particle characteristics

This substance/ mixture does not contain nanoforms

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately and dispose of safely. When symptoms develop and persist, seek

medical advice.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. Gastric lavage is not normally required.

However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.



PACIFICA PLUS 5/15

 Version 5 / IRL
 Revision Date: 20.03.2023

 102000020526
 Print Date: 20.03.2023

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

**Unsuitable** High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides, Hydrogen iodide (HI)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

**Further information** Remove product from areas of fire, or otherwise cool containers with

water in order to avoid pressure being built up due to heat. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting

to enter drains or water courses.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective

authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Use mechanical handling equipment. Keep in suitable, closed

containers for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a



6/15

**PACIFICA PLUS** 

Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

shower. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Cylindrical bottles 0.25 – 1 L : COEXEV/COEXPA

Aluminium composite film (min. 0,007 mm Aluminium)

7.3 Specific end use(s)

Suitable materials

Refer to the label and/or leaflet.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Amorphous silica (Respirable dust.)	63231-67-4	2.4 mg/m3 (TWA)	01 2020	ELV (IE)
Amorphous silica (Total inhalable dust.)	63231-67-4	6 mg/m3 (TWA)	01 2020	ELV (IE)
Amorphous silica (Respirable dust.)	63231-67-4	4 mg/m3 (TWA)	01 2020	ELV (IE)
Amorphous silica (Total inhalable dust.)	63231-67-4	10 mg/m3 (TWA)	01 2020	ELV (IE)
Kaolin (Respirable dust.)	1332-58-7	2.0 mg/m3 (TWA)	2011	ELV (IE)
Diacetone alcohol	123-42-2	240 mg/m3/50 ppm (TWA)	2007	ELV (IE)

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**If product is handled while not enclosed, and if contact may occur:
Wear respirator with a particle filter mask (protection factor 4)



**PACIFICA PLUS** 

7/15 Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

conforming to European norm EN149FFP1 or equivalent.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be

removed.

Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mmClass 6 Protective index

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

**Form** water-dispersible granules

Colour beige to brown

Odour aromatic

**Odour Threshold** No data available Melting point/range No data available **Boiling Point** No data available

**Flammability** The product is not highly flammable.

**Upper explosion limit** No data available Lower explosion limit No data available No data available Flash point No data available **Auto-ignition temperature** 

270 °C Ignition temperature

Minimum ignition energy 100 - 300 mJ

Thermal decomposition 120 °C Heating rate: 3 K/min Decomposition energy: 10 kJ/kg,

**Self-accelarating** No data available



8/15

## **PACIFICA PLUS**

 Version 5 / IRL
 Revision Date: 20.03.2023

 102000020526
 Print Date: 20.03.2023

decomposition temperature

(SADT)

**pH** 7.5 - 9.5 (10 %) (23 °C) (deionized water)

Viscosity, dynamic

Viscosity, kinematic

No data available

No data available

No data available

Partition coefficient: n-

octanol/water

Amidosulfuron: log Pow: -1.56 (22 °C) (pH 7)

lodosulfuron-methyl-sodium: log Pow: -0.7

Mesosulfuron-methyl: log Pow: -0.48 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)

Vapour pressureNo data availableDensityNo data availableRelative densityNo data available

**Bulk density** 0.637 - 0.747 g/ml (loose)

Relative vapour density No data available

Assessment nano particles This substance/ mixture does not contain nanoforms

9.2 Other information

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

Oxidizing properties No oxidizing properties

**Evaporation rate** No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity Stable under normal conditions.10.2 Chemical stability Stable under normal conditions.

**10.3 Possibility of**No hazardous reactions when stored and handled according to

**hazardous reactions** prescribed instructions.



9/15

## **PACIFICA PLUS**

Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

10.5 Incompatible materials Strong oxidizing agents, Strong reducing agents

10.6 Hazardous decomposition products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg
Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

Risk of serious damage to eyes. (Rabbit)

**Respiratory or skin** Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment STOT Specific target organ toxicity - single exposure

Amidosulfuron: Based on available data, the classification criteria are not met.

lodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met. Mesosulfuron-methyl: Based on available data, the classification criteria are not met. Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Amidosulfuron did not cause specific target organ toxicity in experimental animal studies. Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies. Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

### **Assessment mutagenicity**

Amidosulfuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. lodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### **Assessment carcinogenicity**

Amidosulfuron was not carcinogenic in lifetime feeding studies in rats and mice. lodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice. Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Amidosulfuron did not cause reproductive toxicity in a two-generation study in rats. lodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats. Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.



PACIFICA PLUS 10/15

Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

#### Assessment developmental toxicity

Amidosulfuron did not cause developmental toxicity in rats and rabbits. lodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits. Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

No further toxicological information is available.

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 11.5 mg/l

Exposure time: 96 h

Toxicity to aquatic

**invertebrates** Exposure time: 48 h

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) 5.6 mg/l

EC50 (Daphnia magna (Water flea)) 15 mg/l

Growth rate; Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)) 0.0199 mg/l

Growth rate; Exposure time: 7 d

#### 12.2 Persistence and degradability

**Biodegradability** Amidosulfuron:

Not rapidly biodegradable lodosulfuron-methyl-sodium: Not rapidly biodegradable Mesosulfuron-methyl: Not rapidly biodegradable

Mefenpyr-diethyl:

Not rapidly biodegradable

**Koc** Amidosulfuron: Koc: 36

Iodosulfuron-methyl-sodium: Koc: 45 Mesosulfuron-methyl: Koc: 92 Mefenpyr-diethyl: Koc: 625

#### 12.3 Bioaccumulative potential



**PACIFICA PLUS** 

11/15 Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

**Bioaccumulation** Amidosulfuron:

> Does not bioaccumulate. Iodosulfuron-methyl-sodium: Does not bioaccumulate. Mesosulfuron-methyl: Does not bioaccumulate.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Amidosulfuron: Mobile in soils

> lodosulfuron-methyl-sodium: Mobile in soils Mesosulfuron-methyl: Moderately mobile in soils

Mefenpyr-diethyl: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Amidosulfuron: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

lodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No further ecological information is available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Contaminated packaging Triple rinse containers.

Do not re-use empty containers.



12/15

## **PACIFICA PLUS**

 Version 5 / IRL
 Revision Date: 20.03.2023

 102000020526
 Print Date: 20.03.2023

Not completely emptied packagings should be disposed of as

hazardous waste.

**Contaminated packaging** Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.

Waste key for the unused

product

**02 01 08\*** agrochemical waste containing hazardous substances

#### **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/ADN

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES
Hazard no. 90

Hazard no. 90
Tunnel Code -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

#### **IMDG**

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

**IATA** 

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM MIXTURE)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

#### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.



13/15

## **PACIFICA PLUS**

Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Republic of Ireland Regulations**

This material may be subject to some or all of the following regulations (and any subsequent ammendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

#### **Waste Treatment**

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

#### **Further information**

WHO-classification: III (Slightly hazardous)

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

#### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by



PACIFICA PLUS 14/15

Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

**Inland Waterways** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

ELV Exposure Limit Value EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

**IC**x

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** Safety Data Sheet according to Regulation (EU) No. 2020/878.

Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation.

The following sections have been revised: Section 2: Hazards Identification. Section 9: Physical and Chemical Properties. Section 11: Toxicological Information. Section 12. Ecological information. Section 13. Disposal considerations. Reviewed and updated for general

editorial purposes.

Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures.



## **PACIFICA PLUS**

15/15 Version 5 / IRL Revision Date: 20.03.2023 102000020526 Print Date: 20.03.2023

Changes since the last version are highlighted in the margin. This version replaces all previous