amended

SENCOREX FLOW

Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

1/14

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SENCOREX FLOW UFI HT60-509D-U003-3V3G

Product code (UVP) 80899823

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd

Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan

A94 H2K7 Co. Dublin

Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. +44 330 678 3382 (24 hr) (charged as a standard international call to

the UK)

For Medical Professionals and Members of the Public:

You can also contact the relevant NPIS.

National Poisons Information Centre Dublin: 01 809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Blood system) through prolonged or repeated exposure.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

amended

SENCOREX FLOW

2/14 Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Metribuzin





Signal word: Warning **Hazard statements**

H373 May cause damage to organs () through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects. H410

EUH208 Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for EUH401

use.

Precautionary statements

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

Dispose of contents/container to a licensed hazardous waste disposal contractor or P501

collection site, except for triple rinsed empty containers which can be disposed of as

non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Metribuzin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

The substance/mixture does not contain components considered to Ecological information:

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

SENCOREX FLOW

3/14 Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

Suspension concentrate (=flowable concentrate)(SC) Metribuzin 600 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. /	REGULATION (EC) No	
	REACH Reg. No.	1272/2008	

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	1
Metribuzin 21087-64-9 244-209-7		Acute Tox. 4, H302 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	52.17
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9 01-2120761540-60-xxxx	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	>= 0.005 - < 0.05
2-methylisothiazol-3(2H)- one	2682-20-4 220-239-6 01-2120764690-50-XXXX	Acute Tox. 2, H330 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.0015 - < 0.1
1,2-Propanediol	57-55-6 200-338-0 01-2119456809-23-XXXX	Not classified	> 1
Metribuzin	21087-64-9 244-209-7	Acute Tox. 4, H302 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	52.17
Fatty alcohol ethoxylate	68131-39-5 500-195-7	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400	> 1.00 - < 2
1,2-Propanediol	57-55-6 200-338-0 01-2119456809-23-XXXX	Not classified	> 1.00
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9 01-2120761540-60-0003	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 2, H330 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	>= 0.005 - <= 0.05

amended

SENCOREX FLOW

 Version 5 / IRL
 Revision Date: 17.01.2025

 102000016510
 Print Date: 17.01.2025

4/14

Skin Sens. 1A, H317

Further information

Metribuzin	21087-64-9	M-Factor: 10 (acute), 10 (chronic)
Metribuzin	21087-64-9	Oral: ATE = 320 mg/kg
Metribuzin	21087-64-9	Oral: ATE = 322 mg/kg
1,2-Benzisothiazol- 3(2H)-one1,2- Benzisothiazol-3(2H)- one	2634-33-5	M-Factor: 1 (acute), 1 (chronic)
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	SCL: Skin Sens. 1; H317: SCL >= 0.05 %
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	Inhalation: ATE = 0.21 mg/l (dust/mist)
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	Oral: ATE = 450 mg/kg
2-methylisothiazol- 3(2H)-one	2682-20-4	M-Factor: 10 (acute), 1 (chronic)
2-methylisothiazol- 3(2H)-one	2682-20-4	SCL: Skin Sens. 1A; H317: SCL >= 0.0015 %
Metribuzin	21087-64-9	M-Factor: 10 (acute), 10 (chronic)
Metribuzin	21087-64-9	Oral: ATE = 320 mg/kg
Metribuzin	21087-64-9	Oral: ATE = 322 mg/kg
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	M-Factor: 1 (acute), 1 (chronic)
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	SCL: Skin Sens. 1A; H317: SCL >= 0.036 %
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	Inhalation: ATE = 0.21 mg/l (dust/mist)
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	Oral: ATE = 450 mg/kg

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. Get medical

attention if irritation develops and persists.

amended

SENCOREX FLOW

Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

5/14

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen

oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective

authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

amended

SENCOREX FLOW

 Version 5 / IRL
 Revision Date: 17.01.2025

 102000016510
 Print Date: 17.01.2025

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

6/14

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

HDPE (high density polyethylene)

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Metribuzin	21087-64-9	5 mg/m3 (TWA)	2007	ELV (IE)
Metribuzin	21087-64-9	0.36 mg/m3 (SK-SEN)		OES BCS*
1,2-Propanediol	57-55-6	10 mg/m3 (TWA)	01 2020	ELV (IE)
(Particulate.)				
1,2-Propanediol	57-55-6	470 mg/m3/150 ppm (TWA)	01 2020	ELV (IE)
(Total vapour and particulates.)		. ,		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of

amended

SENCOREX FLOW

 Version 5 / IRL
 Revision Date: 17.01.2025

 102000016510
 Print Date: 17.01.2025

short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

7/14

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Week hands frequently and always before enting

be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Liquid Colour white

Odour Strong, characteristic
Odour Threshold No data available
Melting point/ range No data available
Boiling Point No data available
Flammability No data available
Upper explosion limit No data available
Lower explosion limit No data available

Flash point > 100 °C

No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature 435 °C

amended

SENCOREX FLOW

8/14 Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

from 175 °C Heating rate:0.3 K/minThe value mentioned relates to the active Thermal decomposition

ingredient.

No data available

Self-accelarating

decomposition temperature

(SADT)

6.0 - 7.0 (100 %) (23 °C) pН

Viscosity, dynamic No data available Viscosity, kinematic No data available

Water solubility suspensive

Partition coefficient: n-

octanol/water

Metribuzin: log Pow: 1.6

Surface tension 30.9 mN/m (25 °C)

Determined in the undiluted form.

Vapour pressure No data available

ca. 1.15 g/cm³ (20 °C) **Density**

Relative density No data available Relative vapour density No data available

Assessment nano particles This substance/ mixture does not contain nanoforms

No data available Particle size

9.2 Other information

Explosivity Not explosive

Oxidizing properties No oxidizing properties **Evaporation rate** No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

amended

SENCOREX FLOW

9/14 Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kgAcute inhalation toxicity

LC50 (Rat) > 0.967 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kgSkin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye No eye irritation (Rabbit)

irritation

Respiratory or skin

Skin: Non-sensitizing. (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA) sensitisation

Assessment STOT Specific target organ toxicity - single exposure

Metribuzin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Metribuzin caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver, Kidney.

Metribuzin: May cause damage to organs (Blood system) through prolonged or repeated exposure.

Assessment mutagenicity

Metribuzin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Metribuzin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Metribuzin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Metribuzin is related to parental toxicity.

Assessment developmental toxicity

Metribuzin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Metribuzin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

amended

SENCOREX FLOW 10/14

Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

Further information

No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 74.6 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient.

Toxicity to aquatic

invertebrates Exposure time: 48 h

The value mentioned relates to the active ingredient.

EC50 (Daphnia magna (Water flea)) 49.6 mg/l

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) 0.036 mg/l

Growth rate; Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)) 0.0614 mg/l

Growth rate

12.2 Persistence and degradability

Biodegradability Metribuzin:

Not rapidly biodegradable

Koc Metribuzin: Koc: 24 - 106

12.3 Bioaccumulative potential

Bioaccumulation Metribuzin:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Metribuzin: Mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Metribuzin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

amended

Version 5 / IRL

102000016510

SENCOREX FLOW

Revision Date: 17.01.2025 Print Date: 17.01.2025

11/14

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.

Waste key for the unused

product

02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(METRIBUZIN SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III

14.5 Environm. Hazardous Mark YES
Hazard no. 90
Tunnel Code -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(METRIBUZIN SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

amended

SENCOREX FLOW

Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

12/14

(METRIBUZIN SOLUTION)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Republic of Ireland Regulations

This material may be subject to some or all of the following regulations (and any subsequent ammendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use

European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981)

European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003)

European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001

2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

Waste Treatment

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

amended

SENCOREX FLOW

13/14 Version 5 / IRL Revision Date: 17.01.2025 102000016510 Print Date: 17.01.2025

H317 May cause an allergic skin reaction.

Causes serious eve damage. H318

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life. H400

H410 Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. H411

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Concentration Conc.

European community number EC-No. ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

ELV **Exposure Limit Value** European Standard ΕN **European Union** EU

IATA International Air Transport Association

International Code for the Construction and Equipment of Ships Carrying Dangerous IBC

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

Lethal concentration to x % LCx

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL MARPOL: International Convention for the prevention of marine pollution from ships

Not otherwise specified N.O.S.

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

Statutory Instrument SI Time weighted average TWA

United Nations UN

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

amended

SENCOREX FLOW

 Version 5 / IRL
 Revision Date: 17.01.2025

 102000016510
 Print Date: 17.01.2025

Reason for Revision: The following sections have been revised: Section 2: Hazards

Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11:

14/14

Toxicological Information.

The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.