


EAGLE 

For use only as an agricultural herbicide for the control of cleavers and other annual broad-leaved weeds in wheat, barley, oats, rye, triticale, durum wheat and linseed, and for the control of docks in grassland.

A water dispersible granule formulation containing 75% w/w amidosulfuron, a sulfonylurea

Authorisation holder

Bayer CropScience Ltd. 230 Cambridge Science Park,
Milton Road, Cambridge, CB4 0WB, United Kingdom
Marketing Company

Bayer CropScience Limited, Bayer Limited
The Atrium, Blackthorn Road, Sandyford, Dublin 18
Freephone: 1800 818534

**For 24 hour emergency information contact
Bayer CropScience Ltd Freephone: 1 800 409399**

120 g e

Safety Information

EAGLE

A water dispersible granule formulation containing 75% w/w amidosulfuron



Warning

Very toxic to aquatic life with long lasting effects

Dispose of contents/container to a licensed waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

**To avoid risks to human health and the environment
comply with the instructions for use.**

PCS No. 04315

IE80889526b rA4f

For professional use only

SAFETY PRECAUTIONS

Operator Protection

Wash hands and exposed skin before meals and after work.
If swallowed, seek medical advice immediately and show this container or label.

Environmental Protection

Harmful to aquatic organisms.
Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

To protect aquatic organisms and non-target plants, do not apply on impermeable surfaces such as asphalt, concrete, cobblestones, railway tracks and other situations with a high risk of run-off.

Use appropriate containment to avoid environmental contamination.

Storage and Disposal

Keep out of reach of children.
Keep away from food, drink and animal feedingstuffs.
RINSE CONTAINER THOROUGHLY by manually rinsing three times.
Add washings to sprayer at time of filling and dispose of safely.
Do not re-use container for any other purpose.

READ ALL INSTRUCTIONS CAREFULLY BEFORE USE

Crop	Maximum individual dose	Maximum number of applications	Latest time of application
Wheat, barley, oats, rye, triticale	40g product per hectare	1 per crop	From the two-leaf stage of the crop up to and including first awns visible (GS49) but before first spikelet of inflorescence just visible (GS51)
Linseed	40 g product per hectare	1 per crop	From the first pair of leaves unfolded up to before flower buds visible
Grassland	40 – 60 g product per hectare	1 per season	At least 21 days before harvest for hay or silage. Keep livestock out of treated area for at least 7 days after spraying

DIRECTIONS FOR USE

RESTRICTIONS

Do not apply to cereal crops undersown or due to be undersown with clover or alfalfa.

DO NOT roll or harrow within one week of spraying.

DO NOT spray crops under stress, suffering drought, waterlogged, grazed (cereals), lacking nutrients or if the soil is compacted.

DO NOT spray if frost is expected. If the leaves are wet or covered with ice, run off may occur.

Broadcast crops should be sprayed post-emergence after the plants have a well established root system and all other conditions on the label and leaflet are met.

Eagle is rainfast after one hour.

WEEDS CONTROLLED

This product contains amidosulfuron which is an ALS inhibitor, also classified by the Herbicide Resistance Action Committee as 'Group B'. To reduce the risk of developing resistance or where resistance to sulfonylurea herbicides is suspected applications should be made to young, actively growing weeds.

The use of cultural methods of control and herbicides with non-ALS modes of action within the cropping season and/or throughout the cropping rotation will help reduce the risk of developing resistance

For optimum results, apply Eagle during warm weather, when the soil is moist and the weeds actively growing. Dry conditions resulting in moisture stress may reduce effectiveness. Eagle can be used on all soil types.

Cereals and linseed: If present at application the following weeds will be controlled:

Weed	Post-emergence control at 30 g/ha up to:	Post-emergence control at 40 g/ha up to:
Charlock	-	flower bud
Cleavers	20 cm	flower bud
Field forget-me-not	-	6 true leaves
Shepherd's Purse	-	flower bud

Kill of weeds with Eagle is slow, particularly under cool, dry conditions.

Sometimes, the weeds may only be stunted but they will normally have little or no competitive effect on the crop.

Grassland: Eagle will control broadleaf and curled docks from seedling to rosette stage (200 mm high or across). Where docks are growing from an established tap root it is essential that there is a good leaf area for uptake of the herbicide. If flower stems have started to develop, the field should be topped and spraying delayed until a new rosette has developed.

When docks are well established or where there is a large reservoir of seed in the soil a programme of treatments may be required for long term control.

CROP SPECIFIC INFORMATION

Cereals

All commercially available varieties of: Winter wheat, Winter barley, Spring wheat, Spring barley, Durum wheat, Oats, Rye, Triticale.

Apply in spring when the weeds are actively growing

Latest time of application: Up to and including first awns visible (GS 49) but before first spikelet of inflorescence just visible (GS 51).

Linseed

All commercially available winter and spring sown varieties of linseed

Latest time of application: Before the flower buds are visible.

Application

Rate of Use:	30g or 40g per hectare according to growth stage of weeds present
Method of application:	Ground sprayer
Volume:	Apply in 100-200 litres of water per hectare as a fine or medium spray Use up to 400 litres of water per hectare where crops are thick or weeds dense.
Number of treatments:	1 per crop.

For optimal results, use application techniques which ensure good weed coverage and crop penetration. Avoid damage by drift on to broad leaf plants outside the target area or on to ponds, waterways or ditches.

Grassland

Apply to established grassland, including swards with white clover.

Apply in the spring/early summer or in the autumn when the grass and docks are actively growing, and good growing conditions are expected to last for at least two weeks after spraying. Where grass growth is poor due to drought, waterlogging, frosty conditions or nutrient deficiencies the crop may be temporarily checked, from which it quickly recovers.

Rate of Use: 40 - 60 g per hectare in 200-400 litres of water.

Number of treatments: One per season

Harvest Interval: Do not harvest for hay or silage for 21 days after spraying.

Livestock: Keep livestock out of treated area for at least 7 days after spraying and until poisonous weeds such as ragwort have died and become unpalatable.

FOLLOWING CROPS AND CROP FAILURE

After an application of Eagle **to a cereal or linseed crop**, there are no restrictions on following winter cereal crops or any spring sown crops in the normal rotation.

In addition to cereals only winter oilseed rape, mustard, turnip, winter field bean and vetches may be sown in the same year as Eagle is applied and these must be preceded by ploughing or thorough cultivation.

In the event of crop failure do not re-drill with a sensitive crop in the same crop year. It is possible to drill a spring cereal after a 15 day delay. Ploughing is not necessary.

Where Eagle is used in a tank mixture or sequence with other sulfonylureas, cereals and sugar beet may be sown in a normal rotation the following spring. Where Eagle is tank-mixed with metsulfuron-methyl however, and where the following crop will be sugar beet, the maximum rate of Eagle in the tank mix is 30 g/ha.

After an application of Eagle **to grassland**, only cereals or grass should be sown the following year.

MIXING

Half fill the spray tank with clean water, start agitation and add the required quantity of Eagle directly to the tank. Top up the tank to the required volume. Continue agitation whilst spraying.

When tank-mixing, always add Eagle to the spray tank first, and fully disperse before adding other products. Do not allow Eagle granules to come into contact with the undiluted concentrate of any other products.

Sprayer Hygiene

It is important that the spray tank, boom, hoses, filters and nozzles are thoroughly washed out to remove all traces of Eagle immediately after spraying and before the sprayer is used on crops other than cereals, grassland or potatoes.

Use either of the following procedures:-

(a) BLEACH CLEANING

1. Drain sprayer completely, then wash out tank boom and hoses with clean water. Drain again.
2. Half-fill tank with clean water and add chlorine bleach (ie bleach with 10% available chlorine) at a dilution rate of 2.5 litres of bleach per 1,000 litres of water. Complete filling the tank with water. Flush through boom and hoses then leave sprayer for 10 minutes with agitation on. Then drain completely.
3. Remove nozzles and filters and leave to soak in a bleach solution of 250 ml bleach per 10 litres of water whilst tank cleaning is in progress.
4. Flush the tank, boom and hoses with clean water.

Ensure any spray contamination on the outside of the sprayer is removed by washing in clean water.

(b) AMMONIA-BASED CLEANING (eg All Clear Extra)

Follow manufacturers' recommendations.

DO NOT MIX any bleach or chlorinating agent with any ammonia-based cleaning agent as toxic gases may be liberated.

COMPATIBILITY

Eagle may be applied as a tank-mix with a range of products. Contact Bayer CropScience for compatibility information on specific tank-mixes. Full manufacturer's instructions must be followed for each tank-mix component.

Continuous agitation must be maintained.

For cereals, Eagle is compatible with the following:-

Two-way tank mixtures

Metsulfuron-methyl, Decis and Cheetah Extra

Eagle must not be used in tank mixtures with metsulfuron-methyl when applied to linseed, otherwise crop damage may occur.

Eagle is not compatible with propiconazole-containing products.

® Ally and All Clear are Registered Trademarks of Dupont

® Eagle, Decis and Puma Extra are Registered Trademarks of Bayer

© Bayer CropScience 2014

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

EAGLE WG75

Version 7 / IRL Revision Date: 22.10.2014 102000000550

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name EAGLE

Product code (UVP) 05938848

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Ltd

Bayer Ltd

The Atrium,

Blackthorn Road

Sandyford

Dublin 18

Ireland

Telephone +353-1-2999313

Responsible Department: Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no.: 1800-409-399

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute aquatic toxicity: Category 1. H400: Very toxic to aquatic life. Chronic aquatic toxicity: Category 1. H410: Very toxic to aquatic life with long lasting effects.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

N Dangerous for the environment, R50/53

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

2.3 Other hazards: No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature: Water dispersible granules (WG). Amidosulfuron 75 %

Hazardous components

R-phrases according to EC directive 67/548/EEC

Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Amidosulfuron	120923-37-7 407-380-0	N; R50, R53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	75.00
Sodium lauryl sulfate	151-21-3 205-788-1	F; R11 Xn; R20/22 Xi; R37/38, R41	Flam. Sol. 2, H228 Eye Dam. 1, H318 Skin Irrit. 2, H315 Acute Tox. 4, H332 Acute Tox. 4, H302 STOT SE 3, H335 Aquatic Chronic 3, H412	> 1.00 - < 25.00
Kaolin	1332-58-7 310-194-1	Not classified	Not classified	> 1.00

Further information

Amidosulfuron	120923-37-7	M-Factor: 100 (acute), 100 (chronic)
---------------	-------------	--------------------------------------

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Move out of dangerous area. Victim to lie down in the recovery position, cover and keep him warm. Remove contaminated clothing immediately and dispose of safely. **Inhalation:** Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician. **Skin contact:** Wash off immediately with soap and plenty of water. If symptoms persist, call a physician. **Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists. **Ingestion:** Rinse mouth. Do NOT induce vomiting. Ingest activated charcoal. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed.

Treatment: Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media. Suitable: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **Unsuitable:** High volume water jet

5.2 Special hazards arising from the substance or mixture: In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters. Special protective equipment for fire-fighters: In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information: Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions: Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. **6.2 Environmental precautions:** Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities. **6.3 Methods and materials**

for containment and cleaning up. Methods for cleaning up: Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container. **6.4 Reference to other sections:** Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling. Advice on safe handling: No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion: No special precautions required.

Hygiene measures: Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing immediately and dispose of safely. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Keep containers tightly closed

in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage: Keep away from food, drink and animal feedingstuffs.

Suitable materials: HDPE (high density polyethylene)

7.3 Specific end uses Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Amidosulfuron	120923-37-7	5.5 mg/m ³ (TWA)		OES BCS*
Kaolin (Respirable dust.)	1332-58-7	2.0 mg/m ³ (TWA)	2011	ELV (IE)

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls. Personal protective equipment: In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection: Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection: Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection: Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection: Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	water-dispersible granules
Colour	beige
Odour	slightly acidic
pH	ca. 4.7 at 1 % (23 °C) (deionized water)
Autoignition temperature	> 402 °C
Lower explosion limit	100 g/m ³
Dust explosion Kst number	97 barm/s
Dust explosion class	St1 (weak to moderately explosible)
Bulk density	0.530 - 0.623 g/ml (loose)
Water solubility	710 g/l. dispersible
Partition coefficient: n-octanol/water	Amidosulfuron: log Pow: -1.56 at 22 °C at pH 7
Impact Sensitivity	Not impact sensitive.
Explosivity	Not explosive
Dust content	nearly dust-free

9.2 Other information: Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity. Thermal decomposition: 140 °C, Heating rate: 10 K/min

10.2 Chemical stability: Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions: No hazardous reactions when stored and handled according to prescribed instructions. **10.4 Conditions to avoid:** Extremes of temperature and direct sunlight. **10.5 Incompatible materials:** Store only in the original container. **10.6 Hazardous decomposition products:** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects: Acute oral toxicity: LD50 (rat) > 5,000 mg/kg. **Acute inhalation toxicity:** LC50 (rat) > 5 mg/l. Exposure time: 4 h. **Acute dermal toxicity:** LD50 (rat) > 4,000 mg/kg. **Skin irritation:** No skin irritation (rabbit). **Eye irritation:** Slight irritant effect - does not require labelling. (rabbit). **Sensitisation:** Non-sensitizing. (guinea pig). OECD Test Guideline 406, Buehler test
Assessment repeated dose toxicity: Amidosulfuron did not cause specific target organ toxicity in experimental animal studies. **Assessment Mutagenicity:** Amidosulfuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. **Assessment Carcinogenicity:** Amidosulfuron was not carcinogenic in lifetime feeding studies in rats and mice. **Assessment toxicity to reproduction:** Amidosulfuron did not cause reproductive toxicity in a two-generation study in rats. **Assessment developmental toxicity:** Amidosulfuron did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity. Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)) 150 mg/l. Exposure time: 96 h. **Toxicity to aquatic invertebrates:** EC50 (Water flea (Daphnia magna)) 187 mg/l. Exposure time: 48 h. **Toxicity to aquatic plants:** EC50 (Scenedesmus subspicatus) 122 mg/l. Exposure time: 72 h. EC50 (Lemna gibba (duckweed)) 10.1 µg/l. Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability: Amidosulfuron: not rapidly biodegradable

Koc: Amidosulfuron: Koc: 36

12.3 Bioaccumulative potential

Bioaccumulation Amidosulfuron: Does not bioaccumulate.

12.4 Mobility in soil. Mobility in soil: Amidosulfuron: Mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment: Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects: Additional ecological information:

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3077
14.2 Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (AMIDOSULFURON MIXTURE)	
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (AMIDOSULFURON MIXTURE)	
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (AMIDOSULFURON MIXTURE)	
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user: See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Republic of Ireland Regulations: This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Supply and Use: European Communities (Prohibition of Certain Active Substances in Plant Protection Products) Regulations 1981 (SI No 320/1981). European Communities (Authorization, Placing on the Market, Use and Control of Plant Protection Products) Regulations 2003 (SI No 83/2003). European Communities (Classification, Packaging and Labelling of Plant Protection Products and Biocide Products) Regulations 2001 (SI No 624/2001). 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations, 2001 (SI No 619/2001)

Waste Treatment: Landfill Directive. Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Further information: WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment: A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R11 Highly flammable.

R20/22 Harmful by inhalation and if swallowed.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

R53 May cause long-term adverse effects in the aquatic environment.

Text of the hazard statements mentioned in Section 3

H228 Flammable solid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 453/2010 amending Regulation (EU) No 1907/2006 (and any subsequent amendments).

This data sheet complements the user's instructions, but does not replace them.

The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 453/2010.

This version replaces all previous versions.



For use only as an agricultural herbicide for the control of cleavers and other annual broad-leaved weeds in wheat, barley, oats, rye, triticale, durum wheat and linseed, and for the control of docks in grassland.

A water dispersible granule formulation containing 75% w/w amidosulfuron, a sulfonylurea

Authorisation holder

Bayer CropScience Ltd. 230 Cambridge Science Park,
Milton Road, Cambridge, CB4 0WB, United Kingdom
Marketing Company

Bayer CropScience Limited, Bayer Limited
The Atrium, Blackthorn Road, Sandyford, Dublin 18
Freephone: 1800 818534

**For 24 hour emergency information contact
Bayer CropScience Ltd Freephone: 1 800 409399**

120 g e

Safety Information

EAGLE

A water dispersible granule formulation containing 75% w/w amidosulfuron



Warning

Very toxic to aquatic life with long lasting effects

Dispose of contents/container to a licensed waste disposal contractor or collection site, except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

**To avoid risks to human health and the environment
comply with the instructions for use.**

PCS No. 04315

IE80889526b rA4f

For professional use only